INDEX TO VOLUME 87

*Author index**

A

ABELLO VB. A paean to the nurse (Letter), 498
ABER RC. (*See* STEERE ET AL), 784
ACRILLA RA. (*See* SULAYMAN ET AL) (BCLO), 433
ADLER SM, AND WYSZOGRODSKI I. Pneumothorax as a function of gestational age: Clinical and experimental studies, 771
AGHA AS. (*See* SUNG ET AL), 1182
AICARDI J. (*See* BRACHET-LIERMAIN ET AL), 624
ALEBOUYEH M. (*See* AMERI ET AL) (Letter), 1002
ALLEN CE. (*See* TEELE ET AL) (BCLO), 227
ALLEN HD. (*See* SAHN ET AL), 335
ALLEN RP. (*See* SAFER AND ALLEN) (Reply), 329
ALMONTE D. (*See* KHAN ET AL) (BCLO), 87
ALTER HJ. (*See* STEINBERG ET AL) (BCLO), 753
AMENT ME. (*See* CHRISTIE AND AMENT) (Letter), 657
–. (*See* CHRISTIE AND AMENT), 705
AMERI MR, ALEBOUYEH M, ZIAI M, AND CONN RB. Hypertriglyceridemia in homozygous beta thalassemia (Letter), 1002
AMMANN AJ, AND WARA DW. Maternal-fetal graft vs host reaction (Letter), 329
ANAKURA M. (*See* MATSUDA ET AL), 202
ANDRIOLA M. (*See* ROOT ET AL) (BCLO), 585
ANTHONY PK. (*See* CUNNINGHAM ET AL) (Letter), 147
APT L, AND GAFFNEY WL. Ocular teratogens: A commentary (Editor's column), 844
ARASHIMA S. (*See* MATSUDA ET AL), 202
ARBUS GS. (*See* BORTOLUSSI ET AL), 987
ARENA JM. Ingestion of charcoal lighter fluid (Commentary), 637
ARENSON EB JR. (*See* SCHNITZLER ET AL) (Letter), 500
ARGOTE RM. (*See* PARRA ET AL), 307
ARMENDARES S, AND LISKER R. More on twinning and cleft lip (palate) (Reply), 842
ASHENHURST JB. (*See* SEELER ET AL) (BCLO), 758
ASNES RS, NOVICK LF, NEALIS J, AND NGUYEN M. The first febrile seizure: A study of current pediatric practice, 485
ATHERTON SO. (*See* BOOK ET AL), 602
AUGUST GP, HUNG W, AND MAYES DM. Plasma androgens in premature pubarche: Value of 17α-hydroxyprogesterone in differentiation from congenital adrenal hyperplasia (BCLO), 246
AULA P, RAPOLA J, AUTIO S, RAIVIO K, AND KARJALAINEN O. Prenatal diagnosis and fetal pathology of I-cell disease (mucolipiodosis type II), 221
AUTIO S. (*See* AULA ET AL), 221
AVERY ME. (*See* SMITH ET AL), 953
– AND FRANTZ I III. Commentary: Intrauterine developmental retardation, 956
AVNER ED, SATZ J, AND PLOTKIN SA. Hypolycorrhachia in young infants with viral meningitis (Letter), 833
AWRICH AE, STACKHOUSE WJ, CANTRELL JE, PATTERSON JH, AND RUDMAN D. Hyperdibasicaminoaciduria, hyperammonemia, and growth retardation: Treatment with arginine, lysine, and citrulline, 731

B

BAEZ-GIANGRECO A. (*See* TRAGGIS ET AL), 933
BAGGENSTOSS AH. (*See* HERMAN ET AL), 892
BALFANZ JR, NESBIT ME, AND KRIVIT W. Bone marrow curettage in childhood myelofibrosis (BCLO), 578
BALFOUR-LYNN L. (*See* GODFREY ET AL), 465
BANCALARI EH. (*See* MOCKRIN AND BANCALARI), 596
BANG FB. Comparative pathology of marine invertebrates and the study of human disease, 1062
BANKS PM. (*See* SEXTON ET AL) (BCLO), 580
BANNATYNE RM. (*See* BORTOLUSSI ET AL), 987
BANNISTER DL, AND ENGEL E. Partial trisomy 15 (dup15q) syndrome and the need for precision in clinical cytogenetics (Reply), 843
BARER J. (*See* HILL ET AL), 115
BARKIN RM, BONIS SL, ELGHAMMER RM, AND TODD JK. Ludwig angina in children (BCLO), 563
BARNESS L. Scientific foundations of pediatrics (B rev), 643
BARRETT J. (*See* HANDWERGER ET AL), 1139
BARRETT MB. (*See* CHISOLM ET AL), 1152
BARRON R. (*See* PACHMAN ET AL), 713
BARTON LL. Pleural effusion: To tap or not to tap! (Letter), 330
– AND CHALHUB EG. Myositis associated with influenza A infection (Letter), 1003
BASS JW. (*See* FISCHER AND BASS) (Letter), 499
–, PODGORE JK, AND FISCHER GW. Techniques for recovery of *B. pertussis* on culture (Letter), 670
BATT MD. (*See* NELSON ET AL) (Reply), 671
BAUM ES. (*See* SCHWARTZ ET AL), 374
BAUM JD, AND ROBERTSON NRC. Immediate effects of alkaline infusion in infants with respiratory distress syndrome, 255
BEAUDRY PH. (*See* GERARD ET AL), 591
BEHRMAN RE. Alkaline infusion in infants with RDS: Commentary, 262
BEHYMER DE. (*See* RIEMANN ET AL) (BCLO), 573
BEJAR R. (*See* NICHOLS ET AL), 400

*July, pp 1-164; August, pp 165-334; September, pp 335-506; October, pp 507-676; November, pp 677-848; December, part 1, pp 849-1020; December, part 2, pp 1055-1198.

Bell EF. The use naloxone in treatment of diazepam poisoning, 803

Belman AB. (*See* Lewy and Belman) (Letter), 1012

Benenson MW. (*See* Lampe et al) (BCLO), 576

Benjamin JT, Rosse WF, Dalldorf FG, and McMillan CW. Congenital dyserythropoietic anemia—type IV, 210

Benson R. (*See* Pettifor and Benson) (Reply), 838

Bentley HP Jr, Hughes ER, and Peterson RDA. The immune system and malignancy: Another perspective (Editor's column), 503

Beratis NG, and Hirschhorn K. Serum arylsulfatase A assay (Letter), 669

—, Turner BM, and Hirschhorn K. Fucosidosis: Detection of the carrier state in peripheral blood leukocytes, 1193

Berberich FR, Bernstein ID, Ochs HD, and Schaller RT. Lymphangiomatosis with chylothorax (BCLO), 941

Bergen D, and Grossman H. Acute cerebellar ataxia of childhood associated with infectious mononucleosis (Letter), 832

Bergstrom WH. (*See* Nervez et al), 439

Berman W, Pizzi F, Schut L, Raphaely R, and Hotzapple P. The effects of exchange transfusion on intracranial pressure in patients with Reye syndrome, 887

Bernard A. (*See* Boumsell et al) (BCLO), 435

Bernardi F. (*See* Cacciari et al) (BCLO), 943

Bernstein ID. (*See* Berberich et al) (BCLO), 941

Bernstein J. (*See* Yang et al) (Letter), 333

Bialik O. (*See* Flatau et al) (Letter), 663

Blaskovics ME. (*See* Roe et al), 480

Blazer B. (*See* States et al), 558

Blinderman EE. (*See* Powell et al), 744

Bloch KJ. (*See* Feldman et al), 534

Block SH. Side effects of cromolyn sodium therapy (Letter), 502

Bloom GE. (*See* Miale and Bloom), 550

Bloom JL, Schiff GM, Graubarth H, Lipp RW Jr, Jackson, JE, Osborn RL, and Kenny MT. Evaluation of a trivalent measles, mumps, rubella vaccine in children (BCLO), 85

Blumenthal S, Jesse MJ, Hennekens CH, Klein BE, Ferrer PL, and Gourley JE. Risk factors for coronary artery disease in children of affected families, 1187

Boat TF, Polmar SH, Whitman V, Kleinerman JI, Stern RC, and Doershuk CF. Hyperreactivity to cow milk in young children with pulmonary hemosiderosis and cor pulmonale secondary to nasopharyngeal obstruction, 23

Bobo RC, Schubert WK, Partin JC, and Partin JS. Reye syndrome: Treatment by exchange transfusion with special reference to the 1974 epidemic in Cincinnati, Ohio, 881

Boichis H. (*See* Trainin et al), 519

Boineau FG, Rothman J, and Lewy JE. Nephrosonography in the evaluation of renal failure and masses in infants, 195

Bonis SL. (*See* Barkin et al) (BCLO), 563

Book LS, Herbst JJ, Atherton SO, and Jung AL. Necrotizing enterocolitis in low-birth-weight infants fed an elemental formula, 602

Boros SJ, Nystrom JF, Thompson TR, Reynolds JW, and Williams HJ. Leg growth following umbilical artery catheter-associated thrombus formation: A 4-year follow-up, 973

Bortolussi RA, MacDonald MRA, Bannatyne RM, and Arbus GS. Treatment of *Candida* peritonitis by peritoneal lavage with amphotericin B, 987

Borzy MS. (*See* Mulvihill et al), 122

Bosher LH Jr. (*See* Wood et al), 217

Bottone EJ. (*See* Steigman et al) (Letter), 496

Boumsell L, Incefy GS, Bernard A, Schwartz S, Smithwick E, and Good RA. T lymphocyte differentiation in vitro in ataxis telangiectasia associated with lymphosarcoma (BCLO), 435

Bove KE. (*See* Strauss and Bove), 819

Boviatsi E. (*See* Liakakos et al), 291

Bowe ET. (*See* Daniel et al), 788

Bowes W. (*See* Kahn et al) (BCLO), 768

Boxer LA. (*See* Nepo et al) (BCLO), 251

Brachet-Liermain A, Goutieres F, and Aicardi J. Absorption of phenobarbital after the intramuscular administration of single doses in infants, 624

Bratton L, and Haddow JE. Ingestion of charcoal lighter fluid, 633

Brazeau M. (*See* Marks et al), 524

Brooks M. (*See* Hayek and Brooks), 446

Brown EG. (*See* Krouskop et al), 263

—, Krouskop RW, McDonnell FE, and Sweet AY. Blood volume and blood pressure in infants with respiratory distress, 1133

Bullough B. (*See* Davidson et al), 315

Burns CE. (*See* Davidson et al), 315

Bury RG. (*See* Mitchell and Bury) (BCLO), 230

Butler CM. (*See* Hill et al), 115

C

Cacciari E, Cicognani A, Pirazzoli P, Dallacasa P, Mazzaracchio MA, Tassoni P, Bernardi F, Salardi S, and Zappulla F. Plasma ACTH values during the first seven days of life in infants of diabetic mothers (BCLO), 943

Cadman SG. (*See* Davidson et al), 315

Cadoret RJ, Cunningham L, Loftus R, and Edwards J. Studies of adoptees from psychiatrically disturbed biologic parents. II. Temperament, hyperactive, antisocial, and developmental variables, 301

Campbell PE. Congenital bronchiectasis: Commentary (BCLO), 232

Canseco L. (*See* Parra et al), 307

Cantrell JE. (*See* Awrich et al), 731

Cantwell DP. Psychiatric disorder in military dependent children (Reply), 501

Capitanio MA. Congenital bronchiectasis: Commentary (BCLO), 233

Carey WB. Breast feeding and night waking (Letter), 327

Carland J. (*See* Frankenburg et al), 125

Cashore WJ, Karotkin EH, Stern L, and Oh W. The lack of effect of phototherapy on serum bilirubin-binding capacity in newborn infants, 977

Cassady JR. (*See* Jaffe et al) (BCLO), 75

Cassimos C, Tsiuris J, Danielides B, and Malaka-Zafiriu K. Urinary D-glucaric acid excretion in children with dystonic reactions caused by antiemetic drugs, 981

Casteels-Van Daele M, and Vermylen J. Hypofibrinogenemia in Letterer-Siwe disease and in familial hemophagocytic reticulosis (Letter), 151

CASTELLANOS A. (*See* SUNG ET AL), 1182
CENTER FOR DISEASE CONTROL. Increased lead absorption and lead poisoning in young children, 824
CHALHUB EG. (*See* BARTON AND CHALHUB) (Letter), 1003
CHAN G. (*See* STERN ET AL) (Letter), 1006
CHANDRAMOULI B, EHMKE DA, AND LAUER RM. Exercise-induced electrocardiographic changes in children with congenital aortic stenosis, 725
CHANG M. (*See* STECHENBERG ET AL) (BCLO), 234
CHASE PA. (*See* POLMAN AND CHASE), 545
CHELDELIN LV, DAVIS PC JR, AND GRANT WW. Normal values for transillumination of skull using a new light source (BCLO), 937
CHERRY JD. (*See* POWELL ET AL), 744
–, HURWITZ ES, AND WELLIVER RC. *Mycoplasma pneumoniae* infections and exanthems, 369
CHESNEY RW, KAPLAN BS, FREEDOM RM, HALLER JA, AND DRUMMOND KN. Acute renal failure: An important complication of cardiac surgery in infants, 381
CHIEMCHANYA S. (*See* VISUDHIPHAN AND CHIEMCHANYA), 983
CHIGNELL CF. (*See* KRASNER AND CHIGNELL) (Letter), 1008
CHILDS B. Prospects for genetic screening, 1125
CHISOLM JJ JR, BARRETT MB, AND MELLITS ED. Dose-effect and dose-response relationships for lead in children, 1152
CHOATE MS. (*See* DE LA BURDÉ AND CHOATE), 638
CHRISTIE DL, AND AMENT ME. Ampicillin-associated colitis (Letter), 657
–AND–. Dilute elemental diet and continuous infusion technique for management of short bowel syndrome, 705
CHRISTOFFEL KK, AND SALAFSKY I. Fetal alcohol syndrome in dizygotic twins, 936
CHUNG KJ. (*See* GERBER ET AL), 629
CICOGNANI A. (*See* CACCIARI ET AL) (BCLO), 943
CLARK RA. (*See* PINCUS ET AL), 908
CLARKE WL. (*See* WELDON ET AL), 540
CLAWSON CC. (*See* REPINE ET AL), 901
CLAY MM. (*See* FARMER ET AL) (BCLO), 568
CLAYTON GW. (*See* NICHOLS ET AL), 400
CLEVELAND WW. (*See* REDLENER AND CLEVELAND) (Letter), 324
CLOUTIER MD. (*See* HERMAN ET AL), 892
CLYDE WA JR. (*See* LODA ET AL), 1087
COHEN MM JR. (*See* STEPHAN ET AL), 353
COLE HS. (*See* LOPEZ ET AL) (BCLO), 420
COLEMAN WS, LISCHNER HW, AND GROVER WD. Recurrent aseptic meningitis without sequelae (BCLO), 89
COLLETTI RB. (*See* MARGOLIS ET AL) (Letter), 322
COLLIER AM. (*See* LODA ET AL), 1087
COLODNY AH. (*See* FELLOWS ET AL), 739
CONN RB. (*See* AMERI ET AL) (Letter), 1002
CONNOR JD. (*See* TRAUNER AND CONNOR) (BCLO), 751
CONOMY JP, LEVINSOHN M, AND FANAROFF A. Familial infantile myasthenia gravis: A cause of sudden death in young children (BCLO), 428
CONSTANTINIDIS M. (*See* DACOU-VOUTETAKIS ET AL) (Reply), 152
CONSTANTOPOULOS A, KARPATHIOS T, NICOLAIDOU P, MAOUNIS F, AND MATSONIOTIS N. Lazy-leukocyte syndrome (BCLO), 945
COOPER LZ. (*See* ZIRING ET AL) (Letter), 1002
COPPERMAN JM. (*See* LOPEZ ET AL) (BCLO), 420
CORDILLO-PANIAGUA G, VELÁSQUEZ-JONES L, MARTINI R, AND VALDEZ-BOLAÑOS E. Sodium nitroprusside treatment of severe arterial hypertension in children, 799
COTTON RB. (*See* STAHLMAN AND COTTON), 601
COX F, AND HUGHES WT. Cytomegaloviremia in children with acute lymphocytic leukemia, 190
CRAWFORD JD. (*See* DANON ET AL), 917
CRENSHAW MC. (*See* HANDWERGER ET AL), 1139
CRIST WM. (*See* RAGAB ET AL) (BCLO), 422
CROCKER AC. (*See* FELLOWS ET AL), 739
CROWDER CG. Improving preventive pediatric care and office efficiency by way of tape-recorded messages (Letter), 622
CUELLAR A. (*See* PARRA ET AL), 307
CUNNINGHAM AS. Eosinophil counts: Age and sex differences (BCLO), 426
CUNNINGHAM DG, ANTHONY PK, AND RUFF WJ. Infectivity of *Salmonella typhi* after 56 years of carrier state (Letter), 147
CUNNINGHAM L. (*See* CADORET ET AL), 301
CURRARINO G, WILLIS K, AND MILLER W. Congenital fistula between an aberrant systemic artery and a pulmonary vein without sequestration, 554
CUTZ E. (*See* GALL ET AL), 869
CZAPEK EE. (*See* HAGERMAN ET AL) (BCLO), 766
–. (*See* WALDMAN ET AL) (BCLO), 77

D

DACOU-VOUTETAKIS C, KARPATHIOS TH, LOGOTHETIS N, CONSTANTINIDIS M, AND MATSANIOTIS N. Defective growth hormone secretions in primary microcephaly (Reply), 152
DA CUNHA O. (*See* GUIGNARD ET AL), 268
DALLACASA P. (*See* CACCIARI ET AL) (BCLO), 943
DALLDORF FG. (*See* BENJAMIN ET AL), 210
DANIEL SS, YEH M-N, BOWE ET, FUKUNAGA A, AND JAMES LS. Renal response of the lamb fetus to partial occlusion of the umbilical cord, 787
DANIELIDES B. (*See* CASSIMOS ET AL), 981
DANON M, ROBBOY SJ, KIM S, SCULLY R, AND CRAWFORD JD. Cushing syndrome, sexual precocity, and polyostotic fibrous dysplasia (Albright syndrome) in infancy, 917
DAVIDSON MH, BURNS CE, ST GEME JW JR, CADMAN SG, NEUMANN CG, BULLOUGH B, AND HELLINGS P. A short-term intensive training program for pediatric nurse practitioners, 315
DAVIS PC JR. (*See* CHELDELIN ET AL) (BCLO), 937
DAVIS RH, AND GALANT SP. Nonimmune rosette formation: A measure of the newborn infant's cellular immune response, 449
DECASTRO F. (*See* GLEASON ET AL) (Letter), 1001
DE LA BURDÉ B, AND CHOATE MS. Early asymptomatic lead exposure and development at school age, 638
DENNY FW. (*See* LODA ET AL), 1087
DERY P. (*See* HURLEY ET AL), 206
DESOR JA, AND MALLER O. Taste correlates of disease states: Cystic fibrosis (BCLO), 93
DEVIVO DC, KEATING JP, AND HAYMOND MW. Reye syndrome: Results of intensive supportive care, 875
DICK NP. (*See* FRANKENBURG ET AL), 125
DICKER L. (*See* MCCORMACK ET AL) (Letter), 489
DI FERRANTE N. (*See* SINGH ET AL) (Reply), 669
DIGEORGE AM. Albright syndrome: Is it coming of age? (Editor's column), 1018

Di Liberti JH. (*See* St Clair et al) (Letter), 658
— and O'Brien ML. Physostigmine as an antidote: Use with caution (Reply), 1011
— and —. Pseudotumor cerebri following patent ductus arteriosus ligation (Letter), 489
Doershuk CF. (*See* Boat et al), 23
Donnellan WL. (*See* Hagerman et al) (BCLO), 766
Donowitz M. and Gryboski JD. Pancreatic insufficiency and the congenital rubella syndrome (BCLO), 241
Douglas SD. (*See* Marsh et al), 1117
Drummond KN. (*See* Chesney et al), 381
—. (*See* Hurley et al), 206
Duck SC. (*See* Ragab et al) (BCLO), 422
—. (*See* Weldon et al), 540
—, Sekhon GS, Wilbois R, Pagliara AS, and Weldon VV. Pseudohermaphroditism with testes and 46, XX karyotype, 58
Duckett G. (*See* Root et al) (BCLO), 585
Ducos R. (*See* Ragab et al) (BCLO), 422
Dudgeon JA. Congenital rubella, 1078
Duncan B. (*See* Kahn et al) (BCLO), 768
Dunn MC. (*See* Powell et al), 744
Dupuy J-M. (*See* Le Prévost et al) (BCLO), 571

E

Ebbin AJ. (*See* Pegelow et al) (BCLO), 763
Ebert PA. (*See* Engle et al), 1103
Echeverria P, Siber GR, Paisley J, Smith AL, Smith DH, and Jaffe N. Age-dependent dose response to gentamicin, 805
Edelmann CM Jr. (*See* Trainin et al), 519
Edwards J. (*See* Cadoret et al), 301
Ehmke DA. (*See* Chandramouli et al), 725
Ehrlich RM. Defective growth hormone secretions in primary microcephaly (Letter), 151
Ekert H. (*See* McVeagh and Ekert), 627
Elghammer RM. (*See* Barkin et al) (BCLO), 563
Ellis CE, and Hill DE. Growth, intelligence, and school performance in children with cystic fibrosis who have had an episode of malnutrition during infancy (BCLO), 565
Engel E. (*See* Bannister and Engel) (Reply), 843
Engle MA, Zabriskie JB, Senterfit LB, Tay DJ, and Ebert PA. Immunologic and virologic studies in the postpericardiotomy syndrome, 1103
Evans HE. (*See* Khan et al) (BCLO), 87

F

Facklam RR. (*See* Steere et al), 784
Faden H. Pneumococcal bacteremia in the neonate (Letter), 497
Falletta JM, Steuber CP, Sexauer CL, Heideman RL, and Frates RC. Abdominal fibromatosis and thrombocytosis (Letter), 145
Fanaroff A. (*See* Conomy et al) (BCLO), 428
Farmer K, MacArthur BA, and Clay MM. A follow-up study of 15 cases of neonatal meningoencephalitis due to Coxsackie virus B5 (BCLO), 568
Fedun BA. (*See* Ziring et al) (Letter), 1002
Feeley JC. (*See* Steere et al), 784
Feigin RD. (*See* Stechenberg et al) (BCLO), 234
— and Shearer WT. Opportunistic infection in children. I. In the compromised host, 507; II. In the compromised host, 677, III. In the normal host, 852
Feldman G, Koziner B, Talamo R, and Bloch KJ. Familial variable immunodeficiency: Autosomal dominant pattern of inheritance with variable expression of the defect(s), 534
Fellows KE, Grand RJ, Colodny AH, Orsini EN, and Crocker AC. Combined portal and vena caval hypertension in Gaucher disease: The value of preoperative venography, 739
Fellows RE. (*See* Handwerger et al), 1139
Fermaglich D. Pleural effusion: To tap or not to tap! (Reply), 330
Ferrer PL. (*See* Blumenthal et al), 1187
Ferriss GS. (*See* Sumaya et al), 43
Fiedler J. (*See* Pennisi et al) (BCLO), 249
Filler RM. (*See* Jaffe et al) (BCLO), 75
Fine RN. (*See* Pennisi et al) (BCLO), 249
Finkelstein SI. (*See* Lloyd and Finkelstein) (Letter), 490
Fisch RO. Growth and development of survivors of RDS (Reply), 667
Fischer GW. (*See* Bass et al) (Letter), 670
—. (*See* Pattamasukon et al), 133
— and Bass JW. Treatment of *Pasteurella multocida* meningitis (Letter), 499
Fisher DA. Screening for congenital hypothyroidism (Reply), 1010
—. (*See* Sack et al), 364
Fisher S. Treatment of protracted diarrhea in infancy (Letter), 499
Fitch N. Congenital absence of fibula (Letter), 839
Flatau E, Josefsberg Z, Reisner SH, Bialik O, and Laron Z. Penile size in the newborn infant (Letter), 663
Fleisher TA, Isenberg JN, and Sharp HL. Leukocyte function in aspartylglucosaminuria (Letter), 833
Florman AL, and Holzman RS. Nonspecific enhancers of resistance in man, 1094
Foley JD. (*See* Schnitzler et al) (Letter), 500
Foley TP Jr. (*See* Klein and Foley) (Letter), 667
Fomufod AK. Growth and development of survivors of RDS (Letter), 666
Fong C. (*See* Seidel et al) (Letter), 491
Forbes GB. (*See* Klein et al), 8
Fox WW. (*See* Gerard et al), 591
Frankenburg WK, Dick NP, and Carland J. Development of preschool-aged children of different social and ethnic groups: Implications for developmental screening, 125
Frantz I III. (*See* Avery and Frantz), 956
—, Medina G, and Taeusch HW Jr. Correlation of Dextrostix values with true glucose in the range less than 50 mg/dl (BCLO), 417
Frasier SD. (*See* Lightner et al), 922
—. (*See* Olambiwonnu et al), 459
Frates RC. (*See* Falletta et al) (Letter), 145
Freedom RM. (*See* Chesney et al), 381
Freis PC. Rubella immunity in adolescent girls (Letter), 332

FREY GD. (*See* HOLBERT ET AL), 968
FRIEDLAND GW, SUNSHINE P, AND ZBORALSKE FF. Hiatal hernia in infants and young children: A 2- to 3-year follow-up study, 71
FRIES JF. (*See* MILLER AND FRIES), 443
FROMMEL D. (*See* LE PRÉVOST ET AL) (BCLO), 571
FUJIEDA K. (*See* MATSUDA ET AL), 202
FUJIKURA T, AND KLIONSKY B. Transplacental passage of maternal erythrocytes with sickling, 781
FUKUNAGA A. (*See* DANIEL ET AL), 788

G

GAFFNEY WL. (*See* APT AND GAFFNEY) (Editor's column), 844
GAGNON P. (*See* SIGAL AND GAGNON), 809
GALANT SP. (*See* DAVIS AND GALANT), 449
GALL DG, CUTZ E, MCCLUNG HJ, AND GREENBERG ML. Acute liver disease and encephalopathy mimicking Reye syndrome, 869
GALL EP. (*See* NORMAN ET AL), 912
GALLIGUEZ P. (*See* SISKIND ET AL) (Letter), 659
GARCIA G. (*See* PARRA ET AL), 307
GARCIA-CASTRO JM, AND PÉREZ-COMAS A. Nonlethal achondrogenesis (Grebe-Quelce-Salgado type) in two Puerto Rican sibships (BCLO), 948
GARDNER LI, AND MELTZER S. Demographic data as graphic aid in screening program for Tay-Sachs disease (Letter), 664
GARTNER LM, AND LEE K. Determination of bilirubin-binding capacity of serum albumin (Reply), 1009
GAUTIER E. (*See* GUIGNARD ET AL), 268
GAVITT F. (*See* NELSON ET AL) (Reply), 671
GELBAND H. (*See* SUNG ET AL), 1182
GERARD P, FOX WW, OUTERBRIDGE EW, BEAUDRY PH, AND STERN L. Early versus late introduction of continuous negative pressure in the management of the idiopathic respiratory distress syndrome, 591
GERBER MA, GILBERT EM, AND CHUNG KJ. Adriamycin cardiotoxicity in a child with Wilms tumor, 629
GERSHWIN ME, HYMAN LR, AND STEINBERG AD. The choroid plexus in CNS involvement of systemic lupus erythematosus (BCLO), 588
GILBERT EM. (*See* GERBER ET AL), 629
GINSBURG CM. Epiglottitis, meningitis, and arthritis due to *Hemophilus influenzae* type b presenting almost simultaneously in siblings (Letter), 492
GIORDANO B. (*See* ROSENBLOOM AND GIORDANO) (Letter), 150
GIRDANY BR, AND PRICE SE JR. Vesicoureteral reflux (Reply), 1012
GIROUD CJP. (*See* SMITH ET AL), 953
GITZELMANN R. Additional findings in galactokinase deficiency (Letter), 1007
GLASS L. (*See* KHAN ET AL) (BCLO), 87
GLEASON WA JR, RODEN VJ, AND DECASTRO F. *Pneumocystis* pneumonia in Vietnamese infants (Letter), 1001
GLEZEN WP. (*See* LODA ET AL), 1087
GODFREY S, BALFOUR-LYNN L, AND KÖNIG P. The place of cromolyn sodium in the long-term management of childhood asthma based on a 3- to 5-year follow-up, 465
GOEHLE RM. Amebic encephalitis (Letter), 149
GOLDBERG SJ. (*See* SAHN ET AL), 335
GOLDE DW. (*See* PACHMAN ET AL), 713
GOLDMAN S. (*See* WESTLEY ET AL) (BCLO), 243
GOLDRING D. (*See* LONDE ET AL), 896
GOLDSTEIN H. (*See* WALLACE AND GOLDSTEIN), 995
GOOD RA. (*See* BOUMSELL ET AL) (BCLO), 435
GOODING CA. (*See* SCHACHTER ET AL), 779
GOURLEY JE. (*See* BLUMENTHAL ET AL), 1187
GOUTIERES F. (*See* BRACHET-LIERMAIN ET AL), 624
GRAND RJ. (*See* FELLOWS ET AL), 739
— AND VAWTER GF. Juvenile Wilson disease: Histologic and functional studies during penicillamine therapy, 1161
GRANT MJA. (*See* TEELE ET AL) (BCLO), 227
GRANT WW. (*See* CHELDELIN ET AL) (BCLO), 937
GRAUBARTH H. (*See* BLOOM ET AL) (BCLO), 85
GRECO RG. (*See* ORSON AND GRECO) (Letter), 333
GREEN AA. (*See* SCHLACKMAN ET AL), 720
GREEN OC. (*See* RICHARDS ET AL) (BCLO), 82
GREENBERG ML. (*See* GALL ET AL), 869
GREENE HL, MCCABE DR, AND MERENSTEIN GB. Portracted diarrhea and malnutrition in infancy: Changes in intestinal morphology and disaccharidase activities during treatment with total intravenous nutrition or oral elemental diets, 695
GREENSHER J. (*See* MOFENSON AND GREENSHER) (Letter), 1011
GREIFER I. (*See* TRAININ ET AL), 519
GROSSMAN ER. More on the prophylactic dose of fluoride (Letter), 840
GROSSMAN H. (*See* BERGEN AND GROSSMAN) (Letter), 832
GROVER WD. (*See* COLEMAN ET AL) (BCLO), 89
GRUMBACH MM. (*See* LOVINGER ET AL), 1171
GRUNDY G. (*See* MARGOLIS ET AL) (Letter), 322
GRYBOSKI JD. (*See* DONOWITZ AND GRYBOSKI) (BCLO), 241
GUIGNARD JP, TORRADO A, DA CUNHA O, AND GAUTIER E. Glomerular filtration rate in the first three weeks of life, 268
GUNAY U. (*See* NEPO ET AL) (BCLO), 251
GUPTA SK. (*See* WELDON ET AL), 540
GUR A. (*See* SIEGEL ET AL), 377
GUTJAHR P, AND SPRANGER J. Acute leukemia following anticancer treatment (Letter), 1004

H

HADDOW JE. (*See* BRATTON AND HADDOW), 633
HAGERMAN LJ, CZAPEK EE, DONNELLAN WL, AND SCHWARTZ AD. Giant hemangioma with consumption coagulopathy (BCLO), 766
HALE RE. (*See* MONTELEONE ET AL) (Reply), 150
HALL BD. (*See* STEPHAN ET AL), 353
HALL RT. (*See* LEONIDAS ET AL), 776
HALLER JA. (*See* CHESNEY ET AL), 381
HAMILTON JR. (*See* KATZ AND HAMILTON), 606
HAMMERSEN G, HOUGHTON S, AND LEVY HL. Rennes-like variant of galactosemia: Clinical and biochemical studies, 50
HANDWERGER S, MAURER WF, CRENSHAW MC, HURLEY T, BARRETT J, AND FELLOWS RE. Development of the sheep as an animal model to study placental lactogen physiology, 1139

HANNA BA. (*See* STEIGMAN ET AL) (Letter), 496
HANSON JW. (*See* SMITH AND HANSON) (Letter), 659
—. (*See* ZACKAI ET AL), 280
— AND SMITH DW. The fetal hydantoin syndrome, 285
— AND —. Teratogenicity of anticoagulants (Letter), 838
— AND —. U-shaped palatal defect in the Robin anomalad: Developmental and clinical relevance, 30
HARRIS D. (*See* STATES ET AL), 558
HARRISON HC. (*See* HARRISON AND HARRISON), 1144
HARRISON HE, AND HARRISON HC. Rickets then and now, 1144
HARVEY DJ. (*See* HILL ET AL), 115
HAUGHTON PBT. (*See* MULVIHILL ET AL), 122
HAYEK A, AND BROOKS M. Neonatal hyperthyroidism following intrauterine hypothyroidism, 446
HAYES PS. (*See* STEERE ET AL), 784
HAYMOND MW. (*See* DEVIVO ET AL), 875
—. (*See* STECHENBERG ET AL) (BCLO), 234
—. (*See* WELDON ET AL), 540
HAZARD J. (*See* PETER AND HAZARD), 454
HAZLEWOOD CF. (*See* NICHOLS ET AL), 400
HECHT F. Partial trisomy 15 (dup15q) syndrome and the need for precision in clinical cytogenetics (Letter), 842
HEIDEMAN RL. (*See* FALLETTA ET AL) (Letter), 145
HEISE HW. (*See* MYERS ET AL), 815
HELLINGS P. (*See* DAVIDSON ET AL), 315
HENDERSON JR. (*See* SMITH ET AL), 958
HENNEKENS CH. (*See* BLUMENTHAL ET AL), 1187
HERBST JJ. (*See* BOOK ET AL), 602
—. (*See* WESTLEY ET AL) (BCLO), 243
HERMAN SP, BAGGENSTOSS AH, AND CLOUTIER MD. Liver dysfunction and histologic abnormalities in neonatal hypopituitarism, 892
HERSKOWITZ J. (*See* TEELE ET AL) (BCLO), 227
HILGARTNER MW. (*See* MARKENSON ET AL) (Letter), 834
HILL DE. (*See* ELLIS AND HILL) (BCLO), 565
HILL LL. (*See* HILL ET AL), 115
—. (*See* KOHAUT ET AL), 795
HILL RM, BARER J, HILL LL, BUTLER CM, HARVEY DJ, AND HORNING MG. An investigation of recurrent pine oil poisoning in an infant by the use of gas chromatographic-mass spectrometric methods, 115
HIRSCHHORN K. (*See* BERATIS AND HIRSCHHORN) (Letter), 669
—. (*See* BERATIS ET AL), 1193
HOBEL CJ. (*See* SACK ET AL), 364
HOLBERT CL, FREY GD, LEVKOFF AH, AND TRAVIS EL. Radiographic technic, safety, and interpretation in the newborn nursery, 968
HOLMES B. (*See* REPINE ET AL), 901
HOLMES LB. Femoral hypoplasia–unusual facies syndrome (Letter), 668
—. Medical genetics: Principles and practice (B rev), 644
HOLZMAN RS. (*See* FLORMAN AND HOLZMAN), 1094
HONIG GR. (*See* NEPO ET AL) (BCLO), 251
HONIG PJ. Teething—are today's pediatricians using yesterday's notions? (BCLO), 415
HORNING MG. (*See* HILL ET AL), 115
HORVÁTH M. (*See* MESTYÁN ET AL), 409
HOTZAPPLE P. (*See* BERMAN ET AL), 887
HOUGEN TJ. (*See* POWELL ET AL), 744
HOUGHTON S. (*See* HAMMERSEN ET AL), 50
HUGHES ER. (*See* BENTLEY ET AL) (Editor's column), 503
HUGHES WT. (*See* COX AND HUGHES), 190
HUNG W. (*See* AUGUST ET AL) (BCLO), 246
HUNTER AGW. More on twinning and cleft lip (palate) (Letter), 842
HURLEY RM, DERY P, NOGRADY MB, AND DRUMMOND KN. The renal lesion of the Laurence-Moon-Biedl syndrome, 206
HURLEY T. (*See* HANDWERGER ET AL), 1139
HURWITZ ES. (*See* CHERRY ET AL), 369
HUSEMAN C, AND JOHANSON A. Growth hormone deficiency in anorexia nervosa (BCLO), 946
HYMAN LR. (*See* GERSHWIN ET AL) (BCLO), 588

I

INCEFY GS. (*See* BOUMSELL ET AL) (BCLO), 435
ISENBERG JN. (*See* FLEISHER ET AL) (Letter), 833
IVLER D. (*See* OVERTURF ET AL), 297

J

JACKSON JE. (*See* BLOOM ET AL) (BCLO), 85
JACOBS JC. Hypergammaglobulinemic purpura in a child (BCLO), 91
JACOBS SA. (*See* POPLACK AND JACOBS), 989
JAFFE N. (*See* ECHEVERRIA ET AL), 805
—. (*See* TRAGGIS ET AL), 933
—, CASSADY JR, FILLER RM, PETERSEN R, AND TRAGGIS D. Heterochromia and Horner syndrome associated with cervical and mediastinal neuroblastoma (BCLO), 75
JAMES LS. (*See* DANIEL ET AL), 788
JESSE MJ. (*See* BLUMENTHAL ET AL), 1187
JOHANSON A. (*See* HUSEMAN AND JOHANSON) (BCLO), 946
—. (*See* LONDE ET AL), 896
JOSEFSBERG Z. (*See* FLATAU ET AL) (Letter), 663
JULIUS RL. Maternal-fetal graft vs host reaction (Reply), 330
JUNG AL. (*See* BOOK ET AL), 602

K

KAHN R, DUNCAN B, AND BOWES W. Spontaneous opening of congenital imperforate hymen (BCLO), 768
KAITILA I, TANAKA KR, AND RIMOIN DL. Normal red cell adenosine deaminase activity in cartilage-hair hypoplasia (Letter), 153
KALLICK CA. (*See* NELSON ET AL) (Reply), 671
KAPLAN BS. (*See* CHESNEY ET AL), 381
KAPLAN SL. (*See* LOVINGER ET AL), 1171
KARJALAINEN O. (*See* AULA ET AL), 221
KAROTKIN EH. (*See* CASHORE ET AL), 977
KARPATHIOS T. (*See* CONSTANTOPOULOS ET AL) (BCLO), 945
—. (*See* DACOU-VOUTETAKIS ET AL) (Reply), 152
KARZON DT. (*See* WRIGHT ET AL), 1109
KASHGARIAN M. (*See* SIEGEL ET AL), 377
KATZ L, AND HAMILTON JR. Response of the young pig to intrajejunal perfusion with a hypertonic nutrient solution, 606
KATZ M. Parasitic infections, 165

KATZ SH. (*See* MCCORMACK ET AL) (Letter), 489
KAUFMAN IA, KELLER MA, AND NYHAN WL. Diabetic ketosis and acidosis: The continuous infusion of low doses of insulin (Editor's column), 846
KAYE R. Diabetic ketoacidosis—the bicarbonate controversy (Editor's column), 156
KEATING JP. (*See* DEVIVO ET AL), 875
—. (*See* STECHENBERG ET AL) (BCLO), 234
KELLER MA. (*See* KAUFMAN ET AL) (Editor's column), 846
KELSO G. (*See* RIEMANN ET AL) (BCLO), 573
KENNY FM. (*See* RADFAR ET AL), 34
KENNY MT. (*See* BLOOM ET AL) (BCLO), 85
KERNBAUM S. Treatment of tuberculous meningitis (Letter), 837
KERSEY JH. (*See* MATAS ET AL) (Letter), 494
KHAN AJ, EVANS HE, GLASS L, SHIN YH, AND ALMONTE D. Defective neutrophil chemotaxis in patients with Down syndrome (BCLO), 87
KIM S. (*See* DANON ET AL), 917
KIM Y, AND MICHAEL AF. Hypocomplementemia in anorexia nervosa (BCLO), 582
KIMZEY S. (*See* NICHOLS ET AL), 400
KINNEY JB JR. (*See* SCHNITZLER ET AL) (Letter), 500
KIRDPON S. (*See* LAMPE ET AL) (BCLO), 576
KJELLSTRAND CM. (*See* MATAS ET AL) (Letter), 494
KLEIN AH, AND FOLEY TP JR. Screening for hypothyroidism (Letter), 667
KLEIN AM. (*See* SMITH ET AL), 958
KLEIN BE. (*See* BLUMENTHAL ET AL), 1187
KLEIN JO. (*See* TEELE ET AL) (BCLO), 227
KLEIN PS, FORBES GB, AND NADER PR. Effects of starvation in infancy (pyloric stenosis) on subsequent learning abilities, 8
KLEINERMAN JI. (*See* BOAT ET AL), 23
KLINGENSMITH G. (*See* WELDON ET AL), 540
KLIONSKY B. (*See* FUJIKURA AND KLIONSKY), 781
KLISH W. (*See* PARRA ET AL), 307
KOENIG HM, AND VEDVICK TS. Alpha thalassemia in American-born Filipino infants (BCLO), 756
KOHAUT EC, WILSON CJ, AND HILL LL. Intravenous diazoxide in acute poststreptococcal glomerulonephritis, 795
KOMAZAWA M, AND OSKI FA. Biochemical characteristics of "young" and "old" erythrocytes of the newborn infant, 102
KÖNIG P. (*See* GODFREY ET AL), 465
KOSLOV S. (*See* STECHENBERG ET AL) (BCLO), 234
KOZINER B. (*See* FELDMAN ET AL), 534
KRAMER LI. Rapid, accurate electrocardiogram and apnea monitoring, 107
KRASNER J, AND CHIGNELL CF. Determination of bilirubin-binding capacity of serum albumin (Letter), 1008
KRASSNER LS. (*See* SIEGEL ET AL), 377
KRIVIT W. (*See* BALFANZ ET AL) (BCLO), 578
KRONEMER NS. (*See* LONDE ET AL), 896
KROUSKOP RW. (*See* BROWN ET AL), 1133
—, BROWN EG, AND SWEET AY. The early use of continuous positive airway pressure in the treatment of idiopathic respiratory distress syndrome, 263
KROVETZ LJ. Blood pressure (Editor's column), 1013
— AND MARON BJ. Prognostic implications of left ventricular function in endomyocardial disease in infants and children, 389
KRUGMAN S. Viral hepatitis: Recent developments and prospects for prevention, 1067
KUSMIESZ H. (*See* NELSON ET AL), 474

L

LAHEY ME. Histiocytosis X—an analysis of prognostic factors, 184
—. Histiocytosis X—comparison of three treatment regimens, 179
LAM R. (*See* SACK ET AL), 364
LAMBERT GH. (*See* WINKELSTEIN AND LAMBERT) (BCLO), 430
LAMPE RM, KIRDPON S, MANSUWAN P, AND BENENSON MW. Glucose-6-phosphate dehydrogenase deficiency in Thai children with typhoid fever (BCLO), 576
LANGER LO JR. (*See* YANG ET AL) (Letter), 333
LANGEWISCH WH. Infantile cortical hyperostosis—familial occurrence in a mother and daughter (Letter), 323
LARAYA P. (*See* SOUDEK ET AL) (Letter), 326
LARON Z. (*See* FLATAU ET AL) (Letter), 663
LARSEN PR. (*See* RADFAR ET AL), 34
LASTER L. (*See* NORMAN ET AL), 912
LAUER RM. (*See* CHANDRAMOULI ET AL), 725
LAZARUS GM, AND RODNER RD. Probable XX male with hidden testes (Letter), 493
LEE H. (*See* SCHWARTZ ET AL), 374
LEE K. (*See* GARTNER AND LEE) (Reply), 1009
LEEDOM JM. (*See* OVERTURF ET AL), 297
LEIBOW SG. (*See* SILVERMAN AND LEIBOW), 456
LEJTENYI C. (*See* SEGOOL ET AL), 709
LEMONS JA. (*See* LEVINE AND LEMONS) (Letter), 331
LEONIDAS JC, HALL RT, AND RHODES PG. Conservative management of unilateral pulmonary interstitial emphysema under tension, 776
LE PRÉVOST C, FROMMEL D, AND DUPUY J-M. Complement studies in alpha-1-antitrypsin deficiency in children (BCLO), 571
LEVENTHAL BG. (*See* STEINBERG ET AL) (BCLO), 753
LEVIN DL. (*See* WALDMAN ET AL) (BCLO), 77
LEVIN S. (*See* NELSON ET AL) (Reply), 671
LEVINE MD. Informed consent and medical ethics (Reply), 328
LEVINE RL, AND LEMONS JA. Concentrations of serum iron in relation to infection in the neonate (Letter), 331
LEVINSOHN M. (*See* CONOMY ET AL) (BCLO), 428
LEVKOFF AH. (*See* HOLBERT ET AL), 968
LEVY HL. (*See* HAMMERSEN ET AL), 50
LEWY JE. (*See* BOINEAU ET AL), 195
LEWY PR, AND BELMAN AB. Vesicoureteral reflux (Letter), 1012
LI FP. (*See* MYERS ET AL), 815
LIAKAKOS D, PAPADOPOULOS Z, VLACHOS P, BOVIATSI E, AND VARONOS DD. Serum alkaline phosphatase and urinary hydroxyproline values in children receiving phenobarbital with and without vitamin D, 291
LIBRIK L. (*See* NICHOLS ET AL), 400
LIGHTNER ES, PENNY R, AND FRASIER SD. Growth hormone excess and sexual precocity in polyostotic fibrous dysplasia (McCune-Albright syndrome): Evidence for abnormal hypothalamic function, 922
LIPP RW JR. (*See* BLOOM ET AL) (BCLO), 85
LIPSEY A. (*See* PENNISI ET AL) (BCLO), 249

LISCHNER HW. (*See* COLEMAN ET AL) (BCLO), 89
LISKER R. (*See* ARMENDARES AND LISKER) (Reply), 842
LITMAN N. Additional findings in galactokinase deficiency (Reply), 1007
LLOYD FA, AND FINKELSTEIN SI. Normal head growth in infant with nonidentifiable anterior fontanel (Letter), 490
LOCK JE, LYNCH RE, AND MAUER SM. Metabolic alkalosis in children with congestive heart failure (BCLO), 938
LODA FA, COLLIER AM, GLEZEN WP, STRANGERT K, CLYDE WA JR, AND DENNY FW. Occurrence of *Diplococcus pneumoniae* in the upper respiratory tract of children, 1087
LOFTUS R. (*See* CADORET ET AL), 301
LOGOTHETIS N. (*See* DACOU-VOUTETAKIS ET AL) (Reply), 152
LONDE S, JOHANSON A, KRONEMER NS, AND GOLDRING D. Blood pressure and puberty, 896
LONG S. Clinical microbiology (B rev), 643
LOPEZ R, COLE HS, MONTOYA MF, AND COOPERMAN JM. Riboflavin deficiency in a pediatric population of low socioeconomic status in New York City (BCLO), 420
LOVINGER RD, KAPLAN SL, AND GRUMBACH MM. Congenital hypopituitarism associated with neonatal hypoglycemia and microphallus: Four cases secondary to hypothalamic hormone deficiencies, 1171
LOWER RR. (*See* WOOD ET AL), 217
LUM L. (*See* SCHACHTER ET AL), 779
LYNCH RE. (*See* LOCK ET AL) (BCLO), 938

M

MACARTHUR BA. (*See* FARMER ET AL) (BCLO), 568
MCCABE DR. (*See* GREENE ET AL), 695
MCCLUNG HJ. (*See* GALL ET AL), 869
MCCORMACK MK, KATZ SH, AND DICKER L. Delayed skeletal maturation in the sickle cell trait (Letter), 489
MCCRACKEN GH JR. Does intramuscular penicillin at delivery prevent group B beta hemolytic streptococcal disease of the newborn infant? (Reply), 496
—. Treatment of tuberculous meningitis (Reply), 838
MCCREARY B. (*See* SOUDEK ET AL) (Letter), 326
MCCRORY WW, SHIBUYA M, AND YANO K. Recent trends in the mortality rate from renal disease in children and young adults in New York City, 928
MCCUE CM. (*See* WOOD ET AL), 217
MACDONALD MRA. (*See* BORTOLUSSI ET AL), 987
MCDONNELL FE. (*See* BROWN ET AL), 1133
MCELFRESH AE. Idiopathic thrombocytopenic purpura—to treat or not to treat? (Editor's column), 160
MCMILLAN CW. (*See* BENJAMIN ET AL), 210
MCVEAGH P, AND EKERT H. Hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for right-sided Wilms tumor, 627
MAIN CA. (*See* SIMONS ET AL), 16
MALAKA-ZAFIRIU K. (*See* CASSIMOS ET AL), 981
MALEKZADEH MH. (*See* PENNISI ET AL) (BCLO), 249
MALLER O. (*See* DESOR AND MALLER) (BCLO), 93
MANSUWAN P. (*See* LAMPE ET AL) (BCLO), 576
MANTALENAKI-ASFI K, MORPHIS L, NICOLOPOULOS D, AND MATSONIOTIS N. Influence of exchange transfusion on the development of serum immunoglobulins, 396
MAOUNIS F. (*See* CONSTANTOPOULOS ET AL) (BCLO), 945
MARGOLIS CZ, COLLETTI RB, AND GRUNDY G. *Hemophilus influenzae* type B: The etiologic agent in epiglottitis (Letter), 322
MARKELLO J. (*See* MATTAR ET AL), 137
MARKENSON AL, HILGARTNER MW, AND MILLER DR. Transient thrombocytopenia in 18-trisomy (Letter), 834
MARKS MI, MARKS S, AND BRAZEAU M. Yeast colonization in hospitalized and nonhospitalized children, 524
MARKS S. (*See* MARKS ET AL), 524
MARON BJ. (*See* KROVETZ AND MARON), 389
MARSH WL, URETSKY SC, AND DOUGLAS SD. Antigens of the Kell blood group system on neutrophils and monocytes: Their relation to chronic granulomatous disease, 1117
MARTIN GI. The significance of tâche cérébrale in neonatal meningitis (Letter), 321
MARTINI R. (*See* GORDILLO-PANIAGUA ET AL), 799
MATAS AJ, SIMMONS RL, KERSEY JH, KJELLSTRAND CM, AND NAJARIAN JS. Cytomegalovirus and lymphoma in a pediatric transplant recipient (Letter), 494
MATHIES AW. (*See* OVERTURF ET AL), 297
MATSANIOTIS N. (*See* CONSTANTOPOULOS ET AL) (BCLO), 945
—. (*See* DACOU-VOUTETAKIS ET AL) (Reply), 152
—. (*See* MANTALENAKI-ASFI ET AL), 396
MATSUDA I, TAKEKOSHI Y, SHIDA N, FUJIEDA K, NAGAI B, ARASHIMA S, ANAKURA M, AND OKA Y. Renal tubular acidosis and skeletal demineralization in patients on long-term anticonvulsant therapy, 202
MATTAR ME, MARKELLO J, AND YAFFE SJ. Inadequacies in the pharmacologic management of ambulatory children, 137
MATTIOLI L, ZAKHEIM RM, MULLIS K, AND MOLTENI A. Angiotensin-I-converting enzyme activity in idiopathic respiratory distress syndrome of the newborn infant and in experimental alveolar hypoxia in mice, 97
MAUER SM. (*See* LOCK ET AL) (BCLO), 938
MAURER WF. (*See* HANDWERGER ET AL), 1139
MAYES DM. (*See* AUGUST ET AL) (BCLO), 246
MAYUMI M. (*See* OKADA ET AL), 360
MAZZARACCHIO MA. (*See* CACCIARI ET AL) (BCLO), 943
MEDINA G. (*See* FRANTZ ET AL) (BCLO), 417
MELLINS RB, AND PARK S. Respiratory complications of smoke inhalation in victims of fires, 1
MELLITS ED. (*See* CHISOLM ET AL), 1152
MELLMAN WJ. (*See* ZACKAI ET AL), 280
MELTZER S. (*See* GARDNER AND MELTZER) (Letter), 664
MERENSTEIN GB. (*See* GREENE ET AL), 695
—. (*See* PETTETT AND MERENSTEIN) (Letter), 149
MESTYÁN J, SOLTÉSZ GY, SCHULTZ K, AND HORVÁTH M. Hyperaminoacidemia due to accumulation of gluconeogenic amino acid precursors in hypoglycemic small-for-gestational age infants, 409
MEYER ME. (*See* RIEMANN ET AL) (BCLO), 573
MEYER RA. (*See* SAHN ET AL), 335
MIALE TD, AND BLOOM GE. The significance of lymphocytosis in congenital hypoplastic anemia, 550
MICHAEL AF. (*See* KIM AND MICHAEL) (BCLO), 582
MICHALAK T, AND SLUSARCZYK J. Smooth muscle antibody in children with *Pneumocystis carinii* pneumonia (Letter), 1005

MICKEY R. (*See* PENNISI ET AL) (BCLO), 249
MILLER DR. Prognostic factors in childhood leukemia (Editor's column), 672
—. (*See* MARKENSON ET AL) (Letter), 834
—. (*See* MILLER AND MILLER) (Letter), 146
MILLER J. (*See* SEELER ET AL) (BCLO), 758
MILLER JJ III. (*See* MILLER AND MILLER) (BCLO), 237
— AND FRIES JF. Simultaneous vasculitis in a mother and newborn infant, 443
MILLER JS, AND MILLER JJ III. Benign giant lymph node hyperplasia presenting as fever of unknown origin (BCLO), 237
MILLER RA, AND MILLER DR. Congenital absence of the pectoralis major muscle with acute lymphoblastic leukemia and genitourinary anomalies (Letter), 146
MILLER RW. Leukemia in survivors of Wilms tumor (Editor's column), 505
—. (*See* MYERS ET AL), 815
MILLER W. (*See* CURRARINO ET AL), 554
MITCHELL RE, AND BURY RG. Congenital bronchiectasis due to deficiency of bronchial cartilage (Williams-Campbell syndrome) (BCLO), 230
MIYAKAWA Y. (*See* OKADA ET AL), 360
MOCKRIN LD, AND BANCALARI EH. Early versus delayed initiation of continuous negative pressure in infants with hyaline membrane disease, 596
MOFENSON HC, AND GREENSHER J. Physostigmine as an antidote: Use with caution (Letter), 1011
MOLTENI A. (*See* MATTIOLI ET AL), 97
MONTELEONE JA, PEDEN VH, AND HALE RE. Is there a sex difference in juvenile diabetes? (Reply), 150
MONTGOMERY RR JR. A useful test for intracranial hemorrhage (Letter), 155
MONTOYA MF. (*See* LOPEZ ET AL) (BCLO), 420
MORGAN J. (*See* WILLIAMS ET AL) (Letter), 1010
MORPHIS L. (*See* MANTALENAKI-ASFI ET AL), 396
MOSOVICH LL. (*See* SEIDMON ET AL), 528
MOYLAN FMB. (*See* TODRES ET AL), 273
MULLIS K (*See* MATTIOLI ET AL), 97
MULVIHILL JJ, RIDOLFI RL, SCHULTZ FR, BORZY MS, AND HAUGHTON PBT. Hepatic adenoma in Fanconi anemia treated with oxymetholone, 122
MURPHY KE. (*See* STEERE ET AL), 784
MYERBURG RJ. (*See* SUNG ET AL), 1182
MYERS MG. (*See* SCHIEKEN AND MYERS) (Letter), 831
MYERS MH, HEISE HW, LI FP, AND MILLER RW. Trends in cancer survival among U. S. white children, 1955-1971, 815
MYRIANTHOPOULOS NC. (*See* SMITH ET AL), 958

N

NADER PR. (*See* KLEIN ET AL), 8
NAGAI B. (*See* MATSUDA ET AL), 202
NAIMAN JL. (*See* SCHLACKMAN ET AL), 720
NAJARIAN JS. (*See* MATAS ET AL) (Letter), 494
NAJJAR VA. Defective phagocytosis due to deficiencies involving the tetrapeptide tuftsin, 1121
NEALIS J. (*See* ASNES ET AL), 485
NEIDERER B. (*See* ZACKAI ET AL), 280
NELSON JD, SHELTON S, AND KUSMIESZ H. Clinical pharmacology of ticarcillin in the newborn infant: Relation to age, gestational age, and weight, 474
NELSON KE, GAVITT F, BATT MD, KALLICK CA, REDDI KT, AND LEVIN S. Techniques for recovery of *B. pertussis* on culture (Reply), 671
NELSON WE. Breast milk and unsaturated fatty acids (Reply), 329
—. Commentary: The treatment of Reye syndrome, 868
—. Congenital bronchiectasis: Editorial comment, 234
—. Improving preventive pediatric care and office efficiency by way of tape-recorded messages (Comment), 633
—. Who should care for the sick newborn infant? (Reply), 836
NEPO AG, GUNAY U, BOXER LA, AND HONIG GR. Autoimmune neutropenia in an infant (BCLO), 251
NERVEZ CT, SHOTT RJ, BERGSTROM WH, AND WILLIAMS ML. Prophylaxis against hypocalcemia in low-birth-weight infants requiring bicarbonate infusion, 439
NESBIT ME. (*See* BALFANZ ET AL) (BCLO), 578
NETER E. (*See* REPICE AND NETER) (Reply), 499
—. (*See* SEIDMON ET AL), 528
NEUMANN CG. (*See* DAVIDSON ET AL), 315
NGUYEN M. (*See* ASNES ET AL), 485
NICHOLS BL. (*See* PARRA ET AL), 307
—, BEJAR R, HAZLEWOOD CF, KIMZEY S, LIBRIK L, AND CLAYTON GW. Electrolyte metabolism of muscle in the salt-losing form of congenital adrenal hyperplasia, 400
NICOLAIDOU P. (*See* CONSTANTOPOULOS ET AL) (BCLO), 945
NICOLOPOULOS D. (*See* MANTALENAKI-ASFI ET AL), 396
NIEBURG PI, AND WILLIAMS ML. Group A beta hemolytic streptococcal sepsis in mother and infant twins, 453
NILSSON UR. (*See* NORMAN ET AL), 912
NOGRADY MB. (*See* HURLEY ET AL), 206
NORMAN ME, GALL EP, TAYLOR A, LASTER L, AND NILSSON UR. Serum complement profiles in infants and children, 912
NOVICK LF. (*See* ASNES ET AL), 485
NUERNBERGER SP, AND RAMOS CV. Peliosis hepatis in an infant (BCLO), 424
NYHAN WL. (*See* KAUFMAN ET AL) (Editor's column), 846
NYSTROM JF. (*See* BOROS ET AL), 973

O

O'BRIEN ML. (*See* DI LIBERTI AND O'BRIEN) (Letter), 489
—. (*See* DI LIBERTI AND O'BRIEN) (Reply), 1011
—. (*See* ST CLAIR ET AL) (Letter), 658
OCHS HD. Normal red cell adenosine deaminase activity in cartilage-hair hypoplasia (Reply), 154
—. (*See* BERBERICH ET AL) (BCLO), 941
—. (*See* PINCUS ET AL), 908
O'CONNOR PA. Strangulation of infant by pacifier cord (Letter), 145
OETTINGER L JR. Bone age and minimal brain dysfunction (Letter), 328
OH W. (*See* CASHORE ET AL), 977
OKA Y. (*See* MATSUDA ET AL), 202
OKADA K, YAMADA T, MIYAKAWA Y, AND MAYUMI M. Hepatitis B surface antigen in the serum of infants after delivery from asymptomatic carrier mothers, 360

OLAMBIWONNU NO, PENNY R, AND FRASIER SD. Sexual maturation in subjects with sickle cell anemia: Studies of serum gonadotropin concentration, height, weight, and skeletal age, 459
OLEINICK A. Growth and development of survivors of RDS (Letter), 666
ORSINI EN. (*See* FELLOWS ET AL), 739
ORSON JM, AND GRECO RG. Death from *Torulopsis* in chronic granulomatous disease (Letter), 333
OSBORN RL. (*See* BLOOM ET AL) (BCLO), 85
OSKI FA. (*See* KOMAZAWA AND OSKI), 102
OSTLER B. (*See* SCHACHTER ET AL), 779
OUTERBRIDGE EW. (*See* GERARD ET AL), 591
OVERTURF GD, WILKINS J, LEEDOM JM, IVLER D, AND MATHIES AW. Susceptibility of *Hemophilus influenzae*, type b, to ampicillin at Los Angeles County/University of Southern California Medical Center, 297

P

PACHMAN LM. (*See* RICHARDS ET AL) (BCLO), 82
—, SCHWARTZ AD, BARRON R, AND GOLDE DW. Chronic neutropenia: Response to plasma with high colony-stimulating activity, 713
PAGLIARA AS. (*See* DUCK ET AL), 58
—. (*See* WELDON ET AL), 540
PAISLEY J. (*See* ECHEVERRIA ET AL), 805
PAPADOPOULOS Z. (*See* LIAKAKOS ET AL), 291
PARK S. (*See* MELLINS AND PARK), 1
PARRA A, KLISH W, CUELLAR A, SERRANO PA, GARCIA G, ARGOTE RM, CANSECO L, AND NICHOLS BL. Energy metabolism and hormonal profile in children with edematous protein-calorie malnutrition, 307
PARTIN JC. (*See* BOBO ET AL), 881
PARTIN JS. (*See* BOBO ET AL), 881
PATTAMASUKON P, PICHYANGKURA C, AND FISCHER GW. Melioidosis in childhood, 133
PATTERSON JH. (*See* AWRICH ET AL), 731
PAUL MH. (*See* WALDMAN ET AL) (BCLO), 77
PEARSON HA. Concentrations of serum iron in relation to infection in the neonate (Reply), 332
PEDEN VH. (*See* MONTELEONE ET AL) (Reply), 150
PEGELOW CH, EBBIN AJ, POWARS D, AND TOWNER JW. Familial neuroblastoma (BCLO), 763
PELTON SI. (*See* TEELE ET AL) (BCLO), 227
PENNISI AJ, FIEDLER J, LIPSEY A, MICKEY R, MALEKZADEH MH, AND FINE RN. Hyperlipidemia in pediatric renal allograft recipients (BCLO), 249
PENNY R. (*See* LIGHTNER ET AL), 922
—. (*See* OLAMBIWONNU ET AL), 459
PÉREZ-COMAS A. (*See* GARCÍA-CASTRO AND PÉREZ-COMAS) (BCLO), 948
PERRY LW, SAALOUKE MG, AND POTTER BM. Partial spontaneous closure of a congenital defect of the muscular interventricular septum by aneurysm formation (Letter), 660
PETER G, AND HAZARD J. Neonatal group A streptococcal disease, 454
PETERSEN R. (*See* JAFFE ET AL) (BCLO), 75
PETERSON RDA. (*See* BENTLEY ET AL) (Editor's column), 503
PETTETT G, AND MERENSTEIN GB. Nasal erosion with nasotracheal intubation (Letter), 149
PETTIFOR JM, AND BENSON R. Teratogenicity of anticoagulants (Reply), 838
PICHYANGKURA C. (*See* PATTAMASUKON ET AL), 133
PINCUS SH, THOMAS IT, CLARK RA, AND OCHS HD. Defective neutrophil chemotaxis with variant ichthyosis, hyperimmunoglobulinemia E, and recurrent infections, 908
PIRAZZOLI P. (*See* CACCIARI ET AL) (BCLO), 943
PIZZI F. (*See* BERMAN ET AL), 887
PLOTKIN SA. (*See* AVNER ET AL) (Letter), 833
PODGORE JK. (*See* BASS ET AL) (Letter), 670
PODOSIN RL. (*See* ROE ET AL), 480
POLMAR SH. (*See* BOAT ET AL), 23
— AND CHASE PA. Quantitation of the biosynthesis of immunoglobulin in peripheral blood lymphocytes of normal and immunodeficient patients, 545
POPLACK DG, AND JACOBS SA. *Candida* arthritis treated with amphotericin B, 989
POTTER BM. (*See* PERRY ET AL) (Letter), 660
POWARS D. (*See* PEGELOW ET AL) (BCLO), 763
POWELL KR, CHERRY JD, HOUGEN TJ, BLINDERMAN EE, AND DUNN MC. A prospective search for congenital dermal abnormalities of the craniospinal axis, 744
PRADER A. (*See* ZACHMANN AND PRADER) (Letter), 839
PRESTON EN. Who should care for the sick newborn infant? (Letter), 836
PREUS M. Iris pattern in patients with Williams syndrome (Letter), 840
PRICE SE JR. (*See* GIRDANY AND PRICE) (Reply), 1012

R

RADFAR N, KENNY FM, AND LARSEN PR. Subacute thyroiditis in a lateral thyroid gland: Evaluation of the pituitary-thyroid axis during the acute destructive and the recovery phases, 34
RAETHEL HA. Wavelengths of light producing photodecomposition of bilirubin in serum from a neonate with hyperbilirubinemia, 110
RAGAB AH, DUCOS R, CRIST WM, AND DUCK SC. Granulopoiesis in osteopetrosis (BCLO), 422
RAIVIO K. (*See* AULA ET AL), 221
RALIS ZA. Traumatizing effect of breech delivery on infants with spina bifida, 613
RAMOS CV. (*See* NUERNBERGER AND RAMOS) (BCLO), 424
RAPHAELY R. (*See* BERMAN ET AL), 887
RAPOLA J. (*See* AULA ET AL), 221
RASMUSSEN LF. (*See* WENNBERG AND RASMUSSEN) (Reply), 1007
REDDI KT. (*See* NELSON ET AL) (Reply), 671
REDLENER IE, AND CLEVELAND WW. Pediatric hospital discharge summary (Letter), 324
REEDS TO. Withdrawal symptoms in a neonate associated with maternal pentazocine abuse (Letter), 324
REISNER SH. (*See* FLATAU ET AL) (Letter), 663
REITER EO. (*See* ROOT ET AL) (BCLO), 585
REPICE JP, AND NETER E. Treatment of *Pasteurella multocida* meningitis (Reply), 499
REPINE JE, CLAWSON CC, WHITE JG, AND HOLMES B. Spectrum of function of neutrophils from carriers of sex-linked chronic granulomatous disease, 901
REPLOGLE R. (*See* SULAYMAN ET AL) (BCLO), 433

REYNOLDS JW. (*See* BOROS ET AL), 973
RHODES PG. Pneumococcal bacteremia in the neonate (Reply), 498
—. (*See* LEONIDAS ET AL), 776
RICHARDS GE, PACHMAN LM, AND GREEN OC. Symptomatic hypothyroidism in children with collagen disease (BCLO), 82
RICHARDSON NJ. (*See* ROSEN AND RICHARDSON), 38
RIDOLFI RL. (*See* MULVIHILL ET AL), 122
RIEGER CHL, AND ROTHBERG RM. Development of the capacity to produce specific antibody to an ingested food antigen in the premature infant, 515
RIEMANN HP, MEYER ME, THEIS JH, KELSO G, AND BEHYMER DE. Toxoplasmosis in an infant fed unpasteurized goat milk (BCLO), 573
RIMOIN DL. (*See* KAITILA ET AL) (Letter), 153
ROA M. Side effects of cromolyn sodium therapy (Reply), 502
ROBBOY SJ. (*See* DANON ET AL), 917
ROBERT M. (*See* SMITH ET AL), 953
ROBERTS FW. (*See* SCHNITZLER ET AL) (Letter), 500
ROBERTSON NRC. (*See* BAUM AND ROBERTSON), 255
ROBINSON CH. The complete guide to preparing baby foods at home (B rev), 142
RODEN VJ. (*See* GLEASON ET AL) (Letter), 1001
RODGERS BM, AND YOUSSEF S. "False positive" scan for Meckel diverticulum (BCLO), 239
RODNER RD. (*See* LAZARUS AND RODNER) (Letter), 493
ROE CR. (*See* SEXTON ET AL) (BCLO), 580
ROE TF, PODOSIN RL, AND BLASKOVICS ME. Drug interaction: Diazoxide and diphenylhydantoin, 480
ROGERS MC. (*See* TODRES ET AL), 273
ROIZEN NJ. Teratogenicity of anticoagulants (Letter), 838
ROSEN DJ. (*See* TEELE ET AL) (BCLO), 227
ROSEN EU, AND RICHARDSON NJ. A reappraisal of the value of the IgM fluorescent treponemal antibody absorption test in the diagnosis of congenital syphilis, 38
ROSEN JF. (*See* SORELL AND ROSEN), 67
ROSENBLOOM AL, AND GIORDANO B. Is there a sex difference in juvenile diabetes? (Letter), 150
ROSS DG, AND TRAVERS H. Infantile presentation of adult-type polycystic kidney disease in a large kindred (BCLO), 760
ROSSE WF. (*See* BENJAMIN ET AL), 210
ROTHBERG RM. (*See* RIEGER AND ROTHBERG), 515
ROTHMAN J. (*See* BOINEAU ET AL), 195
ROOT AW, REITER EO, ANDRIOLA M, AND DUCKETT G. Hypothalamic-pituitary function in the fetal alcohol syndrome (BCLO), 585
RUBIN W. (*See* SUMAYA ET AL), 43
RUDMAN D. (*See* AWRICH ET AL), 731
RUFF WJ. (*See* CUNNINGHAM ET AL) (Letter), 147
RUSSMAN BS, TUCKER SH, AND SCHUT L. Slow tremor and macrocephaly: Expanded version of the bobble-head doll syndrome, 63
RUTZKY J. (*See* SIMONS ET AL), 16
RYAN JF. (*See* TODRES ET AL), 273

S

SAALOUKE MG. (*See* PERRY ET AL) (Letter), 660
SACK J, FISHER DA, HOBEL CJ, AND LAM R. Thyroxine in human amniotic fluid, 364
SAFER DJ, AND ALLEN RP. Bone age and minimal brain dysfunction (Reply), 329
SAHN DJ, ALLEN HD, GOLDBERG SJ, SOLINGER R, AND MEYER RA. Pediatric echocardiography: A review of its clinical utility, 335
SALAFSKY I. (*See* CHRISTOFFEL AND SALAFSKY), 963
SALARDI S. (*See* CACCIARI ET AL) (BCLO), 943
SANTESTEBAN AO. Screening for congenital hypothyroidism (Letter), 1010
SARNAT HB. Pathogenesis of decerebrate "seizures" in the premature infant with intraventricular hemorrhage (Letter), 154
SATZ J. (*See* AVNER ET AL) (Letter), 833
SCHACHTER J, LUM L, GOODING CA, AND OSTLER B. Pneumonitis following inclusion blennorrhea, 779
SCHALLER RT. (*See* BERBERICH ET AL) (BCLO), 941
SCHECHTER M. (*See* STECHENBERG ET AL) (BCLO), 234
SCHIEKEN RM, AND MYERS MG. Complete heart block in viral myocarditis (Letter), 831
SCHIFF D. (*See* STERN ET AL) (Letter), 1006
SCHIFF GM. (*See* BLOOM ET AL) (BCLO), 85
SCHINDLER S. (*See* WALDMAN ET AL) (BCLO), 77
SCHLACKMAN N, GREEN AA, AND NAIMAN JL. Myelofibrosis in children with chronic renal insufficiency, 720
SCHNITZLER ER, FOLEY JD, ARENSON EB JR, KINNEY JB JR, AND ROBERTS FW. Psychiatric disorder in military dependent children (Letter), 500
SCHUBERT WK. Commentary: The Diagnosis of Reye syndrome, 867
—. (*See* BOBO ET AL), 881
SCHULTZ FR. (*See* MULVIHILL ET AL), 122
SCHULTZ K. (*See* MESTYÁN ET AL), 409
SCHUT L. (*See* BERMAN ET AL), 887
—. (*See* RUSSMAN ET AL), 63
SCHWAB JG. (*See* SCHWARTZ AND SCHWAB) (Reply), 841
SCHWARTZ AD. (*See* HAGERMAN ET AL) (BCLO), 766
—. (*See* PACHMAN ET AL), 713
—. (*See* WALDMAN ET AL) (BCLO), 77
—, LEE H, AND BAUM ES. Leukemia in children with Wilms tumor, 374
— AND SCHWAB JG. More on the prophylactic dose of fluoride (Reply), 841
SCHWARTZ EM. Problems after adoption: Some guidelines for pediatrician involvement, 991
SCHWARTZ S. (*See* BOUMSELL ET AL) (BCLO), 435
SCRIBANU N, AND TEMTAMY SA. The syndrome of aplasia cutis congenita with terminal transverse defects of limbs (BCLO), 79
SCULLY R. (*See* DANON ET AL), 917
SEELER RA, ASHENHURST JB, AND MILLER J. A summer camp for boys with hemophilia (BCLO), 758
SEGAL S. (*See* STATES ET AL), 558
SEGOOL RA, LEJTENYI C, AND TAUSSIG LM. Articular and cutaneous prodromal manifestations of viral hepatitis, 709
SEIDEL JS, YAMAUCHI T, AND FONG C. Arthritis due to *Eikenella corrodens* (Letter), 491
SEIDEMANN MF. (*See* SUMAYA ET AL), 43
SEIDMON EJ, MOSOVICH LL, AND NETER E. Colonization of Enterobacteriaceae of the respiratory tract of children with cystic fibrosis of the pancreas and their antibody response, 528
SEKHON GS. (*See* DUCK ET AL), 58

Sell SH. (*See* Wright et al), 1109
Senterfit LB. (*See* Engle et al), 1103
Serrano PA. (See Parra et al), 307
Sexauer CL. (*See* Falletta et al) (Letter), 145
Sexton DJ, Banks PM, Weig S, and Roe CR. Late appearance of skin rash and abnormal serum enzymes in Rocky Mountain spotted fever (BCLO), 580
Shannon DC. (*See* Todres et al), 273
Sharp HL. (*See* Fleisher et al) (Letter), 833
Shearer WT. (*See* Feigin and Shearer), 507, 677, 852
Shelton S. (*See* Nelson et al), 474
Sherman JO. Treatment of protracted diarrhea in infancy (Reply), 499
Shibuya M. (*See* McCrory et al), 928
Shida N. (*See* Matsuda et al), 202
Shin YH. (*See* Khan et al) (BCLO), 87
Shinozaki T. (*See* Wright et al), 1109
Shott RJ. (*See* Nervez et al), 439
Siber GR. (*See* Echeverria et al), 805
Siegel NJ, Gur A, Krassner LS, and Kashgarian M. Minimal-lesion nephrotic syndrome with early resistance to steroid therapy, 377
Sifontes JE. Rifampin in tuberculous meningitis (Editor's column), 1015
Sigal J, and Gagnon P. Effects of parents' and pediatricians' worry concerning severe gastroenteritis in early childhood on later disturbances in the child's behavior, 809
Silverio J. Breast milk and unsaturated fatty acids (Letter), 329
Silverman SH, and Leibow SG. Dislocation of the triangular cartilage of the nasal septum, 456
Simek M. (*See* Sumaya et al), 43
Simmons RL. (*See* Matas et al) (Letter), 494
Simons SM, Main CA, Yaish HM, and Rutzky J. Idiopathic thrombocytopenic purpura in children, 16
Singh J, Travella D, and Di Ferrante N. Serum arylsulfatase A assay (Reply), 669
Siskind B, Galliguez P, and Wald ER. Group B beta hemolytic streptococcal osteomyelitis/purulent arthritis in neonates: Report of three cases (Letter), 659
Slusarczyk J. (*See* Michalak and Slusarczyk) (Letter), 1005
Smith AL. (*See* Echeverria et al), 805
Smith BT, Giroud CJP, Robert M, and Avery ME. Insulin antagonism of cortisol action on lecithin synthesis by cultured fetal lung cells, 953
Smith DH. (*See* Echeverria et al), 805
Smith DL. Informed consent and medical ethics (Letter), 327
Smith DW. Classification, nomenclature, and naming of morphologic defects (Editor's column), 162
—. (*See* Hanson and Smith), 30, 285
—. (*See* Hanson and Smith) (Letter), 838
—. (*See* Stephan et al), 353
—and Hanson JW. Asynchronous growth of scalp hair in XO Turner syndrome (Letter), 659
—, Klein AM, Henderson JR, and Myrianthopoulos NC. Congenital hypothyroidism—signs and symptoms in the newborn period, 958
Smith MHD. (*See* Sumaya et al), 43
Smithwick E. (*See* Boumsell et al) (BCLO), 435
Solinger R. (*See* Sahn et al), 335
Soltész Gy. (*See* Mestyán et al), 409
Sorell M, and Rosen JF. Ionized calcium: Serum levels during symptomatic hypocalcemia, 67
Soudek D, McCreary B, and Laraya P. Trisomies 21 and 18 in two sibs; another case (Letter), 326
Spitzer A. (*See* Trainin et al), 519
Spranger J. (*See* Gutjahr and Spranger) (Letter), 1004
Stackhouse WJ. (*See* Awrich et al), 731
Stahlman MT, and Cotton RB. Early versus delayed initiation of continuous negative pressure in infants with hyaline membrane disease (Commentary), 601
States B, Blazer B, Harris D, and Segal S. Prenatal diagnosis of cystinosis, 558
St Clair EH, Di Liberti JH, and O'Brien ML. Observations of an infant born to a mother with botulism (Letter), 658
Stechenberg BW, Keating JP, Koslov S, Schechter M, Chang M, Haymond MW, and Feigin RD. Epidemiologic investigation of Reye syndrome (BCLO), 234
Steere AC, Aber RC, Warford LR, Murphy KE, Feeley JC, Hayes PS, Wilkinson HW, and Facklam RR. Possible nosocomial transmission of group B streptococci in a newborn nursery, 784
Steigman AJ. In tribute to Horace L. Hodes, 1055
—, Bottone EJ, and Hanna BA. Does intramuscular penicillin at delivery prevent group B beta hemolytic streptococcal disease of the newborn infant? (Letter), 496
Steinberg AD. (*See* Gershwin et al) (BCLO), 588
Steinberg SC, Alter HJ, and Leventhal BG. The risk of hepatitis transmission to family contacts of leukemia patients (BCLO), 753
Stephan MJ, Hall BD, Smith DW, and Cohen MM Jr. Macrocephaly in association with unusual cutaneous angiomatosis, 353
Stern L. (*See* Cashore et al), 977
—. (*See* Gerard et al), 591
—, Schiff D, and Chan G. Competitive binding of plasma albumin by drugs and their vehicles and by bilirubin (Letter), 1006
Stern RC. (*See* Boat et al), 23
Steuber CP. (*See* Falletta et al) (Letter), 145
St Geme JW Jr. (*See* Davidson et al), 315
Strangert K. (*See* Loda et al), 1087
Strauss RG, and Bove KE. Fever, shock, and hepatomegaly in a 13-month-old boy, 819
Sulayman R, Thilenius O, Replogle R, and Acrilla RA. Unilateral emphysema in total anomalous pulmonary venous return (BCLO), 433
Sumaya CV, Simek M, Smith MHD, Seidemann MF, Ferriss GS, and Rubin W. Tuberculous meningitis in children during the isoniazid era, 43
Sung RJ, Tamer DM, Agha AS, Castellanos A, Myerburg RJ, and Gelband H. Etiology of the electrocardiographic pattern of "incomplete right bundle branch block" in atrial septal defect: An electrophysiologic study, 1182
Sunshine P. (*See* Friedland et al), 71
Sutton TJ. Calcification of intervertebral discs in childhood (Letter), 1008
Sweeney RM. Regional planning for pediatric services (Letter), 501

SWEET AY. (*See* BROWN ET AL), 1133
—. (*See* KROUSKOP ET AL), 263
SWICK HM. Calcification of intervertebral discs in childhood (Reply), 1008
SZALAY GC. Nesidioblastosis in familial endocrine adenomatosis (Letter), 498

T

TAEUSCH HW JR. Glucocorticoid prophylaxis for respiratory distress syndrome: A review of potential toxicity, 617
—. (*See* FRANTZ ET AL) (BCLO), 417
TAKEKOSHI Y. (*See* MATSUDA ET AL), 202
TALAMO R. (*See* FELDMAN ET AL), 534
TAMER DM. (*See* SUNG ET AL), 1182
TAN KL. Comparison of the effectiveness of phototherapy and exchange transfusion in the management of nonhemolytic neonatal hyperbilirubinemia, 609
TANAKA KR. (*See* KAITILA ET AL) (Letter), 153
TASSONI P. (*See* CACCIARI ET AL) (BCLO), 943
TAUSSIG HB. Horace L. Hodes—the man, 1057
TAUSSIG LM. (*See* SEGOOL ET AL), 709
TAY DJ. (*See* ENGLE ET AL), 1103
TAYLOR A. (*See* NORMAN ET AL), 912
TEELE DW, PELTON SI, GRANT MJA, HERSKOWITZ J, ROSEN DJ, ALLEN CE, WIMMER RS, AND KLEIN JO. Bacteremia in febrile children under 2 years of age: Results of cultures of blood of 600 consecutive febrile children seen in a "walk-in" clinic (BCLO), 227
TEMPLE AR. (*See* VELTRI AND TEMPLE), 119
TEMTAMY SA. (*See* SCRIBANU AND TEMTAMY) (BCLO), 79
TERHAAR B. Twinning in relation to anomalies of the branchial arch syndrome (Letter), 843
THEIS JH. (*See* RIEMANN ET AL) (BCLO), 573
THILENIUS O. (*See* SULAYMAN ET AL) (BCLO), 433
THOMAS IT. (*See* PINCUS ET AL), 908
THOMPSON J. (*See* WRIGHT ET AL), 1109
THOMPSON SAS. (*See* WILLIAMS ET AL) (Letter), 1010
THOMPSON TR. (*See* BOROS ET AL), 973
TODD JK. (*See* BARKIN ET AL) (BCLO), 563
TODRES ID, ROGERS MC, SHANNON DC, MOYLAN FMB, AND RYAN JF. Percutaneous catheterization of the radial artery in the critically ill neonate, 273
TORRADO A. (*See* GUIGNARD ET AL), 268
TOWNER JW. (*See* PEGELOW ET AL) (BCLO), 763
TRAGGIS D. (*See* JAFFE ET AL) (BCLO), 75
—, JAFFE N, VAWTER G, AND BAEZ-GIANGRECO A. Non-Hodgkin lymphoma of the head and neck in childhood, 933
TRAININ EB, BOICHIS H, SPITZER A, EDELMANN CM JR, AND GREIFER I. Late nonresponsiveness to steroids in children with the nephrotic syndrome, 519
TRAUNER DA, AND CONNOR JD. Radioactive scanning in diagnosis of acute sacroiliac osteomyelitis (BCLO), 751
TRAVELLA D. (*See* SINGH ET AL) (Reply), 669
TRAVERS H. (*See* ROSS AND TRAVERS) (BCLO), 760
TRAVIS EL. (*See* HOLBERT ET AL), 968
TSIURIS J. (*See* CASSIMOS ET AL), 981
TUCKER SH. (*See* RUSSMAN ET AL), 63
TURNER BM. (*See* BERATIS ET AL), 1193
TYRALA E. Method for intravenous administration of calcium (Letter), 497

U

URETSKY SC. (*See* MARSH ET AL), 1117

V

VALDEZ-BOLAÑOS E. (*See* GORDILLO-PANIAGUA ET AL), 799
VARONOS DD. (*See* LIAKAKOS ET AL), 291
VAWTER G. (*See* TRAGGIS ET AL), 933
VAWTER GF. (*See* GRAND AND VAWTER), 1161
VEDVICK TS. (*See* KOENIG AND VEDVICK) (BCLO), 756
VELÁSQUEZ-JONES L. (*See* GORDILLO-PANIAGUA ET AL), 799
VELTRI JC, AND TEMPLE AR. Fenfluramine poisoning, 119
VERMYLEN J. (*See* CASTEELS-VAN DAELE AND VERMYLEN) (Letter), 151
VISUDHIPHAN P, AND CHIEMCHANYA S. Evaluation of rifampicin in the treatment of tuberculous meningitis in children, 983
VLACHOS P. (*See* LIAKAKOS ET AL), 291

W

WALD ER. (*See* SISKIND ET AL) (Letter), 659
WALDMAN JD, CZAPEK EE, PAUL MH, SCHWARTZ AD, LEVIN DL, AND SCHINDLER S. Shortened platelet survival in cyanotic heart disease (BCLO), 77
WALLACE HM, AND GOLDSTEIN H. The status of infant mortality in Sweden and the United States, 995
WARA DW. (*See* AMMANN AND WARA) (Letter), 329
WARFORD LR. (*See* STEERE ET AL), 784
WEIG S. (*See* SEXTON ET AL) (BCLO), 580
WELDON VV. (*See* DUCK ET AL), 58
—, GUPTA SK, KLINGENSMITH G, CLARKE WL, DUCK SC, HAYMOND MW, AND PAGLIARA AS. Evaluation of growth hormone release in children using arginine and L-dopa in combination, 540
WELLIVER RC. (*See* CHERRY ET AL), 369
WELLS DH, AND ZACHMAN RD. Nasojejunal feedings in low-birth-weight infants, 276
WENNBERG RP, AND RASMUSSEN LF. Competitive binding of plasma albumin by drugs and their vehicles and by bilirubin (Reply), 1007
WESTLEY CR, HERBST JJ, GOLDMAN S, AND WISER WC. Infantile achalasia (BCLO), 243
WHITE JG. (*See* REPINE ET AL), 901
WHITMAN V. (*See* BOAT ET AL), 23
WILBOIS R. (*See* DUCK ET AL), 58
WILKINS J. (*See* OVERTURF ET AL), 297
WILKINSON HW. (*See* STEERE ET AL), 784
WILLIAMS HJ. (*See* BOROS ET AL), 973
WILLIAMS M, MORGAN J, AND THOMPSON SAS. Prevention of ulceration of neck by CPAP head box (Letter), 1010
WILLIAMS ML. (*See* NERVEZ ET AL), 439
—. (*See* NIEBURG AND WILLIAMS), 453
WILLIS K. (*See* CURRARINO ET AL), 554
WILSON CJ. (*See* KOHAUT ET AL), 795
WIMMER RS. (*See* TEELE ET AL) (BCLO), 227
WINKELSTEIN JA, AND LAMBERT GH. Pneumococcal serum opsonizing activity in splenectomized children (BCLO), 430

WISER WC. (*See* WESTLEY ET AL) (BCLO), 243
WOOD JC. (*See* WOOD ET AL), 217
WOOD WC, WOOD JC, LOWER RR, BOSHER LH JR, AND MCCUE CM. Associated coarctation of the aorta and mitral valve disease, 217
WRIGHT PF, SELL SH, SHINOZAKI T, THOMPSON J, AND KARZON DT. Safety and antigenicity of influenza A/Hong Kong/68-ts-1 [E] (H_3N_2) vaccine in young seronegative children, 1109
WYATT HV. Risk of live poliovirus in immunodeficient children (Letter), 152
WYSZOGRODSKI I. (*See* ADLER AND WYSZOGRODSKI), 771

Y

YAFFE SJ. (*See* MATTAR ET AL), 137
YAISH HM. (*See* SIMONS ET AL), 16
YAMADA T. (*See* OKADA ET AL), 360
YAMAUCHI T. (*See* SEIDEL ET AL) (Letter), 491
YANG SS, BERNSTEIN J, AND LANGER LO JR. Proposed readjustment of eponyms for achondrogenesis (Letter), 333
YANO K. (*See* MCCRORY ET AL), 928
YEH M-N. (*See* DANIEL ET AL), 788
YOUSSEF S. (*See* RODGERS AND YOUSSEF) (BCLO), 239

Z

ZABRISKIE JB. (*See* ENGLE ET AL), 1103
ZACHMAN RD. (*See* WELLS AND ZACHMAN), 276
ZACHMANN M, AND PRADER A. Gynecomastia with congenital virilizing adrenal hyperplasia (11 β-hydroxylase deficiency) (Letter), 839
ZACKAI EH, MELLMAN WJ, NEIDERER B, AND HANSON JW. The fetal trimethadione syndrome, 280
ZAKHEIM RM. (*See* MATTIOLI ET AL), 97
ZAPPULLA F. (*See* CACCIARI ET AL) (BCLO), 943
ZBORALSKE FF. (*See* FRIEDLAND ET AL), 71
ZIAI M. (*See* AMERI ET AL) (Letter), 1002
ZIRING PR, FEDUN BA, AND COOPER LZ. Thyrotoxicosis in congenital rubella (Letter), 1002

Subject index*

A

Abdominal fibromatosis and thrombocytosis (Falletta et al) (Letter), 145
Abnormalities, congenital dermal, of craniospinal axis, prospective search for (Powell et al), 744
Abstracts from the XII Annual Meeting of the Latin American Society for Pediatric Research, 650
Achalasia, infantile (Westley et al) (BCLO), 243
Achondrogenesis, nonlethal (Grebe-Quelce-Salgado type) in two Puerto Rican sibships (García-Castro and Pérez-Comas) (BCLO), 948
proposed readjustment of eponyms for (Yang et al), 333
Acids excretion, urinary D-glucaric, with dystonic reactions caused by antiemetic drugs (Cassimos et al), 981
unsaturated fatty, and breast milk (Silverio) (Letter), 329; (W.E.N.) (Reply), 329
Acidosis and diabetic ketosis: Continuous infusion of low doses of insulin (Kaufman et al) (Editor's column), 846
renal tubular, and skeletal demineralization in long-term anticonvulsant therapy (Matsuda et al), 202
ACTH values, plasma, during first 7 days of life in infants of diabetic mothers (Cacciari et al) (BCLO), 943
Adenoma, hepatic, in Fanconi anemia treated with oxymetholone (Mulvihill et al), 122
Adenomatosis, familial endocrine, nesidioblastosis in (Szalay) (Letter), 498
Adenosine deaminase activity, normal red cell, in cartilage-hair hypoplasia (Kaitila et al) (Letter), 153; (Ochs) (Reply), 154
Adoptees from psychiatrically disturbed biologic parents, studies of. II. Temperament, hyperactive, antisocial, and developmental variables (Cadoret et al), 301
Adoption, problems after: Some guidelines for pediatrician involvement (Schwartz), 991
Adrenal hyperplasia, congenital, electrolyte metabolism of muscle in salt-losing form of (Nichols et al), 400
value of 17α-hydroxyprogesterone in differentiation from: Plasma androgens in premature pubarche (August et al) (BCLO), 246
virilizing, with gynecomastia (Zachmann and Prader) (Letter), 839
Adriamycin cardiotoxicity in child with Wilms tumor (Gerber et al), 629
Albright syndrome: Is it coming of age? (DiGeorge) (Editor's column), 1018
McCune syndrome (polyostotic fibrous dysplasia), growth hormone excess and sexual precocity in: Evidence for abnormal hypothalamic function (Lightner et al), 922
(polyostotic fibrous dysplasia), Cushing syndrome, and sexual precocity (Danon et al), 917
Albumin, plasma, competitive binding of, by drugs and their vehicles and by bilirubin (Stern et al) (Letter), 1006; (Wennberg and Rasmussen) (Reply), 1007
serum, determination of bilirubin-binding capacity of (Krasner and Chignell) (Letter), 1008; (Gartner and Lee) (Reply), 1009
Alcohol syndrome, fetal, hypothalamic-pituitary function in (Root et al) (BCLO), 585
in dizygotic twins (Christoffel and Salafsky), 963
Alkaline infusion in RDS: Commentary (Behrman), 262
with RDS, immediate effects of (Baum and Robertson), 255
phosphatase, serum, and urinary hydroxyproline values in children receiving phenobarbital with and without vitamin D (Liakakos et al), 291
Alkalosis, metabolic, with congestive heart failure (Lock et al) (BCLO), 938
Allograft recipients, pediatric renal, hyperlipidemia in (Pennisi et al) (BCLO), 249
Alpha thalassemia in American-born Filipino infants (Koenig and Vedvick) (BCLO), 756
Amebic encephalitis (Goehle) (Letter), 149
Amino acid precursors, gluconeogenic, in hypoglycemic SGA infants, hyperaminoacidemia due to accumulation of (Mestyán et al), 409
Amniotic fluid, human, thyroxine in (Sack et al), 364
Amphotericin B, *Candida* arthritis treated with (Poplack and Jacobs), 989
treatment of *Candida* peritonitis by peritoneal lavage with (Bortolussi et al), 987
Ampicillin-associated colitis (Christie and Ament) (Letter), 657
susceptibility of *Hemophilus influenzae*, type b, to (Overturf et al), 297
Androgens, plasma, in premature pubarche: Value of 17α-hydroxyprogesterone in differentiation from congenital adrenal hyperplasia (August et al) (BCLO), 246
Anemia, congenital dyserythropoietic—type IV (Benjamin et al), 210
hypoplastic, significance of lymphocytosis in (Miale and Bloom), 550
sickle cell, sexual maturation in (Olambiwonnu et al), 459
Fanconi, hepatic adenoma in, treated with oxymetholone (Mulvihill et al), 122
Aneurysm formation, partial spontaneous closure of congenital defect of muscular interventricular septum by (Perry et al) (Letter), 660
Angina, Ludwig, in children (Barkin et al) (BCLO), 563
Angiomatosis, cutaneous, macrocephaly in association with (Stephen et al), 353
Angiotensin-I-converting enzyme activity in idiopathic respiratory distress syndrome of newborn infant and in experimental alveolar hypoxia in mice (Mattioli et al), 97
Anomalad, Robin, u-shaped palatal defect in: Developmental and clinical relevance (Hanson and Smith), 30

*July, pp 1-164; August, pp 165-334; September, pp 335-506; October, pp 507-676; November, pp 677-848; December, part 1, pp 849-1020; December, part 2, pp 1055-1198.

Anomalies, genitourinary, and acute lymphoblastic leukemia, congenital absence of pectoralis major muscle with (Miller and Miller) (Letter), 146
of branchial arch syndrome, twinning in relation to (Terhaar) (Letter), 843
Anorexia nervosa, growth hormone deficiency in (Huseman and Johanson) (BCLO), 946
hypocomplementemia in (Kim and Michael) (BCLO), 582
Antibody absorption test, IgM fluorescent treponemal, reappraisal of, in diagnosis of congenital syphilis (Rosen and Richardson), 38
response colonization by Enterobacteriaceae of the respiratory tract and of children with cystic fibrosis of pancreas (Seidmon et al), 528
smooth muscle, in children with Pneumocystis carinii pneumonia (Michalak and Slusarczyk) (Letter), 1005
specific, development of capacity to produce, to ingested food antigen in premature infant (Rieger and Rothberg), 515
Anticoagulants, teratogenicity of (Roizen) (Letter), 838; (Hanson and Smith) (Letter), 838; (Pettifor and Benson) (Reply), 838
Anticonvulsant therapy, renal tubular acidosis and skeletal demineralization in (Matsuda et al), 202
Antidote, physostigmine as: Use with caution (Mofenson and Greensher) (Letter), 1011; (Di Liberti and O'Brien) (Reply), 1011
Antiemetic drugs, urinary D-glucaric acid excretion with dystonic reactions caused by (Cassimos et al), 981
Antigens, hepatitis B surface, in serum of infants after delivery from asymptomatic carrier mothers (Okada et al), 360
ingested food, development of capacity to produce specific antibody in premature infant (Rieger and Rothberg), 515
of Kell blood group system on neutrophils and monocytes: Their relation to chronic granulomatous disease (Marsh et al), 1117
Antigenicity and safety of influenza A/Hong Kong/68-ts-1 [E] (H_3N_2) vaccine in young seronegative children (Wright et al), 1109
Antitrypsin, alpha-1-, deficiency, complement studies in (Le Prévost et al) (BCLO), 571
Aorta and mitral valve disease, associated coarctation of (Wood et al), 217
Aortic stenosis, congenital, exercise-induced electrocardiographic changes with (Chandramouli et al), 725
Aplasia cutis congenita with terminal transverse defects of limbs, syndrome of (Scribanu and Temtamy) (BCLO), 79
Apnea monitoring and rapid, accurate electrocardiogram (Kramer), 107
Arginine and L-dopa in combination, evaluation of growth hormone release in children using (Weldon et al), 540
lysine, and citrulline, treatment with: Hyperdibasicaminoaciduria, hyperammonemia, and growth retardation (Awrich et al), 731
Arterial hypertension, severe, sodium nitroprusside in treatment of (Gordillo-Paniagua et al), 799
Arteriosus, patent ductus, ligation, psedotumor cerebri following (Di Liberti and O'Brien) (Letter), 489
Artery, aberrant systemic, and pulmonary vein, congenital fistula between (Currarino et al), 554
disease, coronary, in children of affected families, risk factors for (Blumenthal et al), 1187
radial, percutaneous catheterization of, in critically ill neonate (Todres et al), 273
umbilical, catheter-associated thrombus formation, leg growth following (Boros et al), 973
Arthritis, *Candida*, treated with amphotericin B (Poplack and Jacobs), 989
due to *Eikenella corrodens* (Seidel et al) (Letter), 490
epiglottitis, and meningitis due to *Hemophilus influenzae* type b (Ginsburg) (Letter), 491
purulent, in neonates, group B beta hemolytic streptococcal osteomyelitis: Report of three cases (Siskind et al) (Letter), 659
Articular and cutaneous prodromal manifestations of viral hepatitis (Segool et al), 709
Arylsulfatase A assay, serum (Beratis and Hirschhorn) (Letter), 669; (Singh et al) (Reply), 669
Aspartylglucosaminuria, leukocyte function in (Fleisher et al) (Letter), 833
Assay, serum arylsulfatase A (Beratis and Hirschhorn) (Letter), 669; (Singh et al) (Reply), 669
Asthma, cromolyn sodium in management of (Godfrey et al), 465
Ataxia, acute cerebellar, associated with infectious mononucleosis (Bergen and Grossman), 832
telangiectasia associated with lymposarcoma, T lymphocyte differentiation in vitro in (Boumsell et al) (BCLO), 435
Atrial septal defect, etiology of electrocardiographic pattern of "incomplete right bundle branch block" in: Electrophysiologic study (Sung et al), 1182
Autoimmune neutropenia in an infant (Nepo et al) (BCLO), 251
Autosomal dominant pattern of inheritance with variable expression of defect (s): Familial variable immunodeficiency (Feldman et al), 534

B

B. pertussis on culture, techniques for recovery of (Bass et al) (Letter), 670; (Nelson et al) (Reply), 671
Bacteremia in febrile children under 2 years of age: Results of cultures of blood of 600 consecutive febrile children seen in a "walk-in" clinic (Teele et al) (BCLO), 227
pneumococcal, in neonate (Faden) (Letter), 497; (Rhodes) (Reply), 498
Behavior, effects of worry concerning gastroenteritis on (Sigal and Gagnon), 809
Bicarbonate controversy—diabetic ketoacidosis (Kaye) (Editor's column), 156
infusion, prophylaxis against hypocalcemia in LBW infants requiring (Nervez et al), 439
Biedl-Laurence-Moon syndrome, renal lesion of (Hurley et al), 206
Bilirubin-binding capacity, serum, in newborn infants, lack of effect of phototherapy on (Cashore et al), 977
of serum albumin, determination of (Krasner and Chignell) (Letter), 1008; (Gartner and Lee) (Reply), 1009

Bilirubin—Cont'd
competitive binding of plasma albumin by drugs and their vehicles and by (Stern et al) (Letter), 1006; (Wennberg and Rasmussen) (Reply), 1007
in serum, wavelengths of light producing photodecomposition of, from a neonate with hyperbilirubinemia (Raethel), 110
Biochemical characteristics of "young" and "old" erythrocytes of newborn infant (Komazawa and Oski), 102
Biosynthesis of immunoglobulin in peripheral blood lymphocytes of normal and immunodeficient patients, quantitation of (Polmar and Chase), 545
Blennorrhea, inclusion, pneumonitis following (Schachter et al), 779
Blood group system, Kell, antigens of, on neutrophils and monocytes: Their relation to chronic granulomatous disease (Marsh et al), 1117
leukocytes, peripheral, detection of carrier state in: Fucosidosis (Beratis et al), 1193
lymphocytes, peripheral, of normal and immunodeficient patients, quantitation of biosynthesis of immunoglobulin in (Polmar and Chase), 545
pressure (Krovetz) (Editor's column), 1013
and puberty (Londe et al), 896
results of cultures in 600 consecutive febrile children: Bacteremia in febrile children under 2 years of age (Teele et al) (BCLO), 227
volume and blood pressure in infants with respiratory distress (Brown et al), 1133
Bobble-head doll syndrome, expanded version of: Slow tremor and macrocephaly (Russman et al), 63
Bone age and minimal brain dysfunction (Oettinger) (Letter), 328; (Safer and Allen) (Reply), 329
marrow curettage in childhood myelofibrosis (Balfanz et al) (BCLO), 578
Book reviews
Clinical microbiology (Long), 643
The complete guide to preparing baby foods at home (Robinson), 142
Medical genetics: Principles and practice (Holmes), 644
Scientific foundations of pediatrics (Barness), 643
Botulism, observations of infant born to mother with (St Clair et al) (Letter), 658
Bowel syndrome, short, dilute elemental diet and continuous infusion technique for management of (Christie and Ament), 705
Brain dysfunction, minimal, and bone age (Oettinger) (Letter), 328; (Safer and Allen) (Reply), 329
Branchial arch syndrome, twinning in relation to anomalies of (Terhaar) (Letter), 843
Breast feeding and night waking (Carey) (Letter), 327
milk and unsaturated fatty acids (Silverio) (Letter), 329; (W.E.N.) (Reply), 329
Breech delivery, traumatizing effect of, on infants with spina bifida (Rálfs), 613
Bronchiectasis, congenital, due to deficiency of bronchial cartilage (Williams-Campbell syndrome) (Mitchell and Bury) (BCLO), 230
Commentary (Campbell) (BCLO), 232
(Capitanio) (BCLO), 233
Editorial comment (Nelson) (BCLO), 234

C

Calcification of intervertebral discs in childhood (Sutton) (Letter), 1008; (Swick) (Reply), 1008
Calcium, ionized: Serum levels during symptomatic hypocalcemia (Sorell and Rosen), 67
method for intravenous administration of (Tyrala) (Letter), 497
Calorie-protein malnutrition, edematous, energy metabolism and hormonal profile in children with (Parra et al), 307
Campbell-Williams syndrome (congenital bronchiectasis due to deficiency of bronchial cartilage) (Mitchell and Bury) (BCLO), 230
Cancer, anti-, treatment, acute leukemia following (Gutjahr and Spranger) (Letter), 1004
survival, trends in, among U. S. white children, 1955-1971 (Myers et al), 815
Candida arthritis treated with amphotericin B (Poplack and Jacobs), 989
peritonitis, treatment of, by peritoneal lavage with amphotericin B (Bortolussi et al), 987
Cardiac surgery, complication of: Renal failure (Chesney et al), 381
Cardiotoxicity, adriamycin, in child with Wilms tumor (Gerber et al), 629
Carrier mothers, asymptomatic—hepatitis B surface antigen in serum of infants after delivery (Okada et al), 360
state in peripheral blood leukocytes, detection of: Fucosidosis (Beratis et al), 1193
infectivity of *Salmonella typhi* after 56 years of (Cunningham et al) (Letter), 147
Carriers of sex-linked chronic granulomatous disease, spectrum of function of neutrophils from (Repine et al), 901
Cartilage, bronchial, congenital bronchiectasis due to deficiency of (Williams-Campbell syndrome) (Mitchell and Bury) (BCLO), 230
hair hypoplasia, normal red cell adenosine deaminase activity in (Kaitila et al) (Letter), 153; (Ochs) (Reply), 154
triangular, of nasal septum, dislocation of (Silverman and Leibow), 456
Catheterization, percutaneous, of radial artery in critically ill neonate (Todres et al), 273
Cell anemia, sickle, sexual maturation in (Olambiwonnu et al), 459
I-, disease (mucolipidosis type II), prenatal diagnosis and fetal pathology of (Aula et al), 221
normal red, adenosine deaminase activity in cartilage-hair hypoplasia (Kaitila et al) (Letter), 153; (Ochs) (Reply), 154
trait, sickle, delayed skeletal maturation in (McCormack et al) (Letter), 489
cultured fetal lung, insulin antagonism of cortisol action on lecithin synthesis by (Smith et al), 953
Cellular immune response, measure of newborn: Nonimmune rosette formation (Davis and Galant), 449
Cerebellar ataxia, acute, associated with infectious mononucleosis (Bergen and Grossman), 832
Cervical and mediastinal neuroblastoma with heterochromia and Horner syndrome (Jaffe et al) (BCLO), 75
Chemotaxis, defective neutrophil, in patients with Down syndrome (Khan et al) (BCLO), 87

Chemotaxis, defective neutrophil—Cont'd
with variant ichthyosis, hyperimmunoglobulinemia E, and recurrent infections (Pincus et al), 908
Chemotherapy following nephrectomy and radiation therapy for right-sided Wilms tumor, hepatotoxicity of (McVeagh and Ekert), 627
Choroid plexus in CNS involvement of systemic lupus erythematosus (Gershwin et al) (BCLO), 588
Chylothorax with lymphangiomatosis (Berberich et al) (BCLO), 941
Citrulline, arginine, and lysine, treatment with: Hyperdiabsic-aminoaciduria, hyperammonemia, and growth retardation (Awrich et al), 731
Cleft lip (palate), more on twinning and (Hunter) (Letter), 842; (Armendares and Lisker) (Reply), 842
CNS involvement of systemic lupus erythematosus, choroid plexus in (Gershwin et al) (BCLO), 588
Coagulants, anti-, teratogenicity of (Roizen) (Letter), 838; (Hanson and Smith) (Letter), 838; (Pettifor and Benson) (Reply), 838
Coagulopathy, consumption, with giant hemangioma (Hagerman et al) (BCLO), 766
Coarctation, associated, of aorta and mitral valve disease (Wood et al), 217
Colitis, ampicillin-associated (Christie and Ament) (Letter), 657
Collagen disease with symptomatic hypothyroidism (Richards et al) (BCLO), 82
Complement profiles, serum (Norman et al), 912
studies in alpha-1-antitrypsin deficiency (Le Prévost et al) (BCLO), 571
Congenital absence of fibula (Fitch) (Letter), 839
pectoralis major muscle with acute lymphoblastic leukemia and genitourinary anomalies (Miller and Miller) (Letter), 146
adrenal hyperplasia, electrolyte metabolism of muscle in salt-losing form of (Nichols et al), 400
value of 17α-hydroxyprogesterone in differentiation from: Plasma androgens in premature pubarche (August et al) (BCLO), 246
aortic stenosis, exercise-induced electrocardiographic changes with (Chandramouli et al), 725
bronchiectasis: Commentary (Campbell) (BCLO), 232
(Capitanio) (BCLO), 233
due to deficiency of bronchial cartilage (Williams-Campbell syndrome) (Mitchell and Bury) (BCLO), 230
Editorial comment (Nelson) (BCLO), 234
defect, partial spontaneous closure of, of muscular interventricular septum by aneurysm formation (Perry et al) (Letter), 660
dermal abnormalities of craniospinal axis, prospective search for (Powell et al), 744
dyserythropoietic anemia—type IV (Benjamin et al), 210
fistula between aberrant systemic artery and a pulmonary vein without sequestration (Currarino et al), 554
hypopituitarism associated with neonatal hypoglycemia and microphallus: Four cases secondary to hypothalamic hormone deficiencies (Lovinger et al), 1171
hypoplastic anemia, significance of lymphocytosis in (Miale and Bloom), 550
hypothyroidism, screening for (Santesteban) (Letter), 1010; (Fisher) (Reply), 1010
Congenital hypothyroidism—Cont'd
signs and symptoms in newborn period (Smith et al), 958
imperforate hymen, spontaneous opening of (Kahn et al) (BCLO), 768
rubella (Dudgeon), 1078
syndrome and pancreatic insufficiency (Donowitz and Gryboski) (BCLO), 241
thyrotoxicosis in (Ziring et al) (Letter), 1002
syphilis, diagnosis of—reappraisal of IgM fluorescent treponemal antibody absorption test (Rosen and Richardson), 38
virilizing adrenal hyperplasia with gynecomastia (Zachmann and Prader) (Letter), 839
Congestive heart failure, metabolic alkalosis in (Lock et al) (BCLO), 938
Cor pulmonale and pulmonary hemosiderosis secondary to nasopharyngeal obstruction, hyperreactivity to cow milk in children with (Boat et al), 23
Coronary artery disease in children of affected families, risk factors for (Blumenthal et al), 1187
Cortisol action, insulin antagonism of, on lecithin synthesis by cultured fetal lung cells (Smith et al), 953
Coxsackie virus B5, follow-up study of neonatal meningoencephalitis due to (Farmer et al) (BCLO), 568
CPAP, early use of, in treatment of idiopathic respiratory distress syndrome (Krouskop et al), 263
head box, prevention of ulceration of neck by (Williams et al) (Letter), 1010
Cranial, intra-, pressure in patients with Reye syndrome, effects of exchange transfusion on (Berman et al), 887
Craniospinal axis, prospective search for congenital dermal abnormalities (Powell et al), 744
Cromolyn sodium in management of asthma (Godfrey et al), 465
therapy, side effects of (Block) (Letter), 502; (Roa) (Reply), 502
Curettage, bone marrow, in childhood myelofibrosis (Balfanz et al) (BCLO), 578
Cushing syndrome, sexual precocity, and polyostotic fibrous dysplasia (Albright syndrome) in infancy (Danon et al), 917
Cutaneous angiomatosis, macrocephaly in association with (Stephan et al), 353
prodromal and articular manifestations of viral hepatitis (Segool et al), 709
Cyanotic heart disease with shortened platelet survival (Waldman et al) (BCLO), 77
Cystic fibrosis, intelligence, growth, and school performance in children with episode of malnutrition during infancy (Ellis and Hill) (BCLO), 565
of the pancreas, colonization by Enterobacteriaceae of respiratory tract of children with, and antibody respose (Seidmon et al), 528
Taste correlates of disease states (Desor and Maller) (BCLO), 93
poly-, kidney disease, adult-type, infantile presentation of (Ross and Travers) (BCLO), 760
Cystinosis, prenatal diagnosis of (States et al), 558
Cytogenetics, clinical, partial trisomy 15 (dup15q) syndrome and need for precision (Hecht) (Letter), 842; (Bannister and Engel) (Reply), 843

Cytomegaloviremia with acute lymphocytic leukemia (Cox and Hughes), 190
Cytomegalovirus and lymphoma in a pediatric transplant recipient (Matas et al) (Letter), 494

D

Decerebrate "seizures" in premature infant with intraventricular hemorrhage, pathogenesis of (Sarnat) (Letter), 154
Defects, atrial septal, etiology of electrocardiographic pattern of "incomplete right bundle branch block" in: Electrophysiologic study (Sung et al), 1182
congenital, of muscular interventricular septum by aneurysm formation, partial spontaneous closure of (Perry et al) (Letter), 660
morphologic, classification, nomenclature, and naming of (Smith) (Editor's column), 162
terminal transverse, of limbs, syndrome of aplasia cutis congenita with (Scribanu and Temtamy) (BCLO), 79
u-shaped palatal, in Robin anomalad: Developmental and clinical relevance (Hanson and Smith), 30
variable expression of, autosomal dominant pattern of inheritance with: Familial variable immunodeficiency (Feldman et al), 534
Deficiency(ies), alpha-1-antitrypsin, complement studies in (Le Prévost et al) (BCLO), 571
galactokinase, additional findings in (Gitzelmann) (Letter), 1007; (Litman) (Reply), 1007
glucose-6-phosphate dehydrogenase, in Thai children with typhoid fever (Lampe et al) (BCLO), 576
growth hormone, in anorexia nervosa (Huseman and Johanson) (BCLO), 946
hypothalamic hormone, four cases secondary to: Congenital hypopituitarism associated with neonatal hypoglycemia and microphallus (Lovinger et al), 1171
11β-hydroxylase, with gynecomastia (Zachmann and Prader) (Letter), 839
involving tetrapeptide tuftsin, defective phagocytosis due to (Najjar), 1121
riboflavin, in low socioeconomic children in New York (Lopez et al) (BCLO), 420
Dehydrogenase deficiency, glucose-6-phosphate, in Thai children with typhoid fever (Lampe et al) (BCLO), 576
Dermal abnormalities, congenital, of craniospinal axis, prospective search for (Powell et al), 744
Development and growth of survivors of RDS (Fomufod) (Letter), 666; (Oleinick) (Letter), 666; (Fisch) (Reply), 667
at school age and early asymptomatic lead exposure (de la Burdé and Choate), 638
Developmental screening, implications for: Development of preschool-aged children of different social and ethnic groups (Frankenburg et al), 125
variables, hyperactive, temperament, antisocial, and. II. Studies of adoptees from psychiatrically disturbed biologic parents (Cadoret et al), 301
Dextrostix values, correlation of, with true glucose in range of less than 50 mg/dl (Frantz et al) (BCLO), 417
Diabetes, juvenile, is there a sex difference in? (Rosenbloom and Giordano) (Letter), 150; (Monteleone et al) (Reply), 150
Diabetic ketoacidosis—bicarbonate controversy (Kaye) (Editor's column), 156
ketosis and acidosis: Continuous infusion of low doses of insulin (Kaufman et al) (Editor's column), 846
mothers, plasma ACTH values during first 7 days of life in infants of (Cacciari et al) (BCLO), 943
Diarrhea, protracted, and malnutrition in infancy: Changes in intestinal morphology and disaccharidase activities during treatment with total intravenous nutrition or oral elemental diets (Greene et al), 695
in infancy, treatment of (Fisher) (Letter), 499; (Sherman) (Reply), 499
Diazoxide and diphenylhydantoin: Drug interaction (Roe et al), 480
intravenous, in acute poststreptococcal glomerulonephritis (Kohaut et al), 795
Diazepam poisoning, naloxone in treatment of (Bell), 803
Diet(s), dilute elemental, and continuous infusion technique for management of short bowel syndrome (Christie and Ament), 705
oral elemental, or total intravenous nutrition, changes in intestinal morphology and disaccharidase activities during treatment with: Protracted diarrhea and malnutrition in infancy (Greene et al), 695
Diphenylhydantoin and diazoxide: Drug interaction (Roe et al), 480
Diplococcus pneumoniae, occurrence of, in upper respiratory tract of children (Loda et al), 1087
Disaccharidase activities and intestinal morphology, changes in, during treatment with total intravenous nutrition or oral elemental diets: Protracted diarrhea and malnutrition in infancy (Greene et al), 695.
Discharge summary, pediatric hospital (Redlener and Cleveland) (Letter), 324
Discs, intervertebral, calcification of (Sutton) (Letter), 1008; (Swick) (Reply), 1008
Disease, acute liver, and encephalopathy mimicking Reye syndrome (Gall et al), 869
adult-type polycystic kidney, infantile presentation of (Ross and Travers) (BCLO), 760
chronic granulomatous, death from *Torulopsis* in (Orson and Greco) (Letter), 333
Relationship to antigens of Kell blood group system on neutrophils and monocytes (Marsh et al), 1117
collagen, with symptomatic hypothyroidism (Richards et al) (BCLO), 82
coronary artery, in children of affected families, risk factors for (Blumenthal et al), 1187
cyanotic heart, with shortened platelet survival (Waldman et al) (BCLO), 77
endomyocardial, prognostic implications of left ventricular function in (Krovetz et al), 389
Gaucher, portal and vena caval hypertension in: Value of preoperative venography (Fellows et al), 739
group B beta hemolytic streptococcal—does intramuscular penicillin prevent it in the newborn infant? (Steigman et al) (Letter), 496; (McCracken) (Reply), 496
human, study of, and marine invertebrates, comparative pathology of (Bang), 1062
hyaline membrane: Commentary (Stahlman and Cotton), 601

Disease, hyaline membrane–Cont'd
early versus delayed initiation of continuous negative pressure in (Mockrin and Bancalari), 596
I-cell (mucolipiodosis type II), prenatal diagnosis and fetal pathology (Aula et al), 221
juvenile Wilson: Histologic and functional studies during penicillamine therapy (Grand and Vawter), 1161
Letterer-Siwe, and familial hemophagocytic reticulosis, hypofibrinogenemia in (Casteels-Van Daele and Vernylen) (Letter), 151
mitral valve, and aorta, associated coarctation of (Wood et al), 217
neonatal group A streptococcal (Peter and Hazard), 454
renal, recent trends in mortality rate in New York City (McCrory et al), 928
sex-linked chronic granulomatous, spectrum of function of neutrophils from carriers of (Repine et al), 901
states, taste correlates of: Cystic fibrosis (Desor and Maller) (BCLO), 93
Tay-Sachs, demographic data as graphic aid in screening program for (Gardner and Meltzer) (Letter), 644
Distress, respiratory, blood volume and blood pressure in infants with (Brown et al), 1133
Diverticulum, Meckel, "false positive" scan for (Rodgers and Youssef) (BCLO), 239
Dizygotic twins, fetal alcohol syndrome in (Christoffel and Salafsky), 963
L-Dopa and arginine in combination, evaluation of growth hormone release in children using (Weldon et al), 540
Dose-effect and dose-response relationships for lead in children (Chisolm et al), 1152
Down syndrome, defective neutrophil chemotaxis in (Khan et al) (BCLO), 87
Drug(s) and their vehicles, competitive binding of plasma albumin, and by bilirubin (Stern et al) (Letter), 1006; (Wennberg and Rasmussen) (Reply), 1007
antiemetic, uringary D-glucaric acid excretion with dystonic reactions caused by (Cassimos et al), 981
interaction: Diazoxide and diphenylhydantoin (Roe et al), 480
Dyserythropoietic anemia, congenital–type IV (Benjamin et al), 210
Dysplasia, polyostotic fibrous (Albright syndrome), Cushing syndrome, and sexual precocity (Danon et al), 917
(McCune Albright syndrome) growth hormone excess and sexual precocity in: Hypothalmic function (Lightner et al), 922

E

Echocardiography, pediatric: Review of its clinical utility (Sahn et al), 335
Effusion, pleural: To tap or not to tap! (Barton) (Letter), 330; (Fermaglich) (Reply), 330
Eikenella corrodens, arthritis due to (Seidel et al) (Letter), 490
Electrocardiogram and apnea monitoring, rapid, accurate (Kramer), 107
Electrocardiographic changes, exercise-induced, with congenital aortic stenosis (Chandramouli et al), 725
pattern, etiology of, of "incomplete right bundle branch block" in atrial septal defect: Electrophysiologic study (Sung et al), 1182
Electrolyte metabolism of muscle in salt-losing form of congenital adrenal hyperplasia (Nichols et al), 400
Emphysema, unilateral, in total anomalous pulmonary venous return (Sulayman et al) (BCLO), 433
pulmonary interstitial, under tension, conservative management of (Leonidas et al), 776
Encephalitis, amebic (Goehle) (Letter), 149
Encephalopathy and acute liver disease mimicking Reye syndrome (Gall et al), 869
Endocrine adenomatosis, familial, nesidioblastosis in (Szalay) (Letter), 498
Endomyocardial disease, prognostic implications of left ventricular function in (Krovetz et al), 389
Energy metabolism and hormonal profile in children with edematous protein-calorie malnutrition (Parra et al), 307
Enterobacteriaceae, colonization by, of respiratory tract of children with cystic fibrosis of pancreas and their antibody response (Seidmon et al), 528
Enterocolitis, necrotizing, in LBW infants fed elemental formula (Book et al), 602
Enzymes, abnormal serum, and late appearance of skin rash in Rocky Mountain spotted fever (Sexton et al) (BCLO), 580
Enzyme activity, angiotensin-I-converting, in idiopathic respiratory distress syndrome of newborn and in experimental alveolar hypoxia in mice (Mattioli et al), 97
Eosinophil counts: Age and sex differences (Cunningham) (BCLO), 426
Epidemic in Cincinnati, Ohio, in 1974, treatment by exchange transfusion with reference to: Reye syndrome (Bobo et al), 881
Epidemiologic investigation of Reye syndrome (Stechenberg et al) (BCLO), 234
Epiglottitis, etiologic agent in: *Hemophilus influenzae* type b (Margolis et al) (Letter), 322
meningitis, and arthritis due to *Hemophilus influenzae* type b presenting almost simultaneously in siblings (Ginsburg) (Letter), 491
Erythrocytes, maternal, transplacental passage of, with sickling (Fujikura and Klionsky), 781
"young" and "old," of newborn infant, biochemical characteristics of (Komazawa and Oski), 102
Ethics, medical, and informed consent (Smith) (Letter), 327; (Levine) (Reply), 328
Exanthems and infections, *Mycoplasma pneumoniae* (Cherry et al), 369
Exercise-induced electrocardiographic changes in children with congenital aortic stenosis (Chandramouli et al), 725

F

Facies syndrome, unusual–femoral hypoplasia (Holmes) (Letter), 668; (Smith) (Reply), 669
Familial endocrine adenomatosis, nesidioblastosis in (Szalay) (Letter), 498
hemophagocytic reticulosis and Letterer-Siwe disease, hypofibrinogenemia in (Casteels-Van Daele and Vernylen) (Letter), 151
infantile myasthenia gravis: Cause of sudden death in young children (Conomy et al) (BCLO), 428
neuroblastoma (Pegelow et al) (BCLO), 763

Familial–Cont'd
occurrence of infantile cortical hyperostosis (Langewisch) (Letter), 323
variable immunodeficiency: Autosomal dominant pattern of inheritance with variable expression of the defect(s) (Feldman et al), 534
Families, affected, risk factors for coronary artery disease in children of (Blumenthal et al), 1187
Fanconi anemia, hepatic adenoma in, treated with oxymetholone (Mulvihill et al), 122
Fatty acids, unsaturated, and breast milk (Silverio) (Letter), 329; (W.E.N.) (Reply), 329
Febrile children under 2 years of age, bacteremia in: Results of cultures in 600 consecutive febrile children (Teele et al) (BCLO), 227
seizure, first: Study of current pediatric practice (Asnes et al), 485
Feeding(s), breast, and night waking (Carey) (Letter), 327
nasojejunal, in LBW infants (Wells and Zachman), 276
Femoral hypoplasia–unusual facies syndrome (Holmes) (Letter), 668; (Smith) (Reply), 669
Fenfluramine poisoning (Veltri and Temple), 119
Fetal alcohol syndrome, hypothalamic-pituitary function in (Root et al) (BCLO), 585
in dizygotic twins (Christoffel and Salafsky), 963
hydantoin syndrome (Hanson and Smith), 285
lung cells, cultured, insulin antagonism of cortisol action on lecithin synthesis by (Smith et al), 953
trimethadione syndrome (Zackai et al), 280
Fever of unknown origin, benign giant lymph node hyperplasia presenting as (Miller and Miller) (BCLO), 237
Rocky Mountain spotted, late appearance of skin rash and abnormal serum enzymes in (Sexton et al) (BCLO), 580
shock, and hepatomegaly in a 13-month-old boy (Strauss and Bove), 819
typhoid, glucose-6-phosphate dehydrogenase deficiency in Thai children with (Lampe et al) (BCLO), 576
Fibromatosis, abdominal, and thrombocytosis (Falletta et al) (Letter), 145
Fibrosis, cystic, intelligence, growth, and school performance in children with episode of malnutrition during infancy (Ellis and Hill) (BCLO), 565
of pancreas, colonization by Enterobacteriaceae of respiratory tract of children with, and their antibody response (Seidmon et al), 528
Taste correlates of disease states (Desor and Maller) (BCLO), 93
Fibrous dysplasia, polyostotic (Albright syndrome), Cushing syndrome, and sexual precocity (Danon et al), 917
(McCune-Albright syndrome), growth hormone excess and sexual precocity in: Hypothalmic function (Lightner et al), 922
Fibula, congenital absence of (Fitch) (Letter), 839
Filtration rate, glomerular, in first three weeks of life (Guignard et al), 268
Fistula, congenital, between aberrant systemic artery and pulmonary vein without sequestration (Currarino et al), 554
Fluoride, more on prophylactic dose of (Grossman) (Letter), 840; (Schwartz and Schwab) (Reply), 841
Fontanel, nonidentifiable anterior, normal head growth in infant with (Lloyd and Finkelstein) (Letter), 490
Formula, elemental, necrotizing enterocolitis in LBW infants fed (Book et al), 602
Fucosidosis: Detection of carrier state in peripheral blood leukocytes (Beratis et al), 1193

G

Galactokinase deficiency, additional findings in (Gitzelmann) (Letter), 1007; (Litman) (Reply), 1007
Galactosemia, Rennes-like variant of: Clinical and biochemical studies (Hammersen et al), 50
Gas chromatographic–mass spectrometric methods used to investigate recurrent pine oil poisoning (Hill et al), 115
Gastroenteritis, severe, effects of worry concerning, on later disturbances in behavior (Sigal and Gagnon), 809
Gaucher disease, portal and vena caval hypertension in: Value of preoperative venography (Fellows et al), 739
Genetic screening, prospects for (Childs), 1125
Genitourinary anomalies and acute lymphoblastic leukemia, congenital absence of pectoralis major muscle with (Miller and Miller) (Letter), 146
Gentamicin, age-dependent dose response to (Echeverria et al), 805
Gestational age, pneumothorax as function of (Adler and Wyszogrodski) (BCLO), 771
Gland, thyroid, subacute thyroiditis in: Evaluation of pituitary-thyroid axis (Radfar et al), 34
Glomerular filtration rate in first three weeks of life (Guignard et al), 268
Glomerulonephritis, acute poststreptococcal, intravenous diazoxide in (Kohaut et al), 795
D-Glucaric acid, urinary, excretion with dystonic reactions caused by antiemetic drugs (Cassimos et al), 981
Glucocorticoid prophylaxis for respiratory distress syndrome: Review of potential toxicity (Taeusch), 617
Gluconeogenic amino acid precursors in hypoglycemic SGA infants, hyperaminoacidemia due to accumulation of (Mestyán et al), 409
Glucose, correlation of Dextrostix values with (Frantz et al) (BCLO), 417
6-phosphate dehydrogenase deficiency in Thai children with typhoid fever (Lampe et al) (BCLO), 576
Gonadotropin concentration, serum, in studies of sexual maturation with sickle cell anemia (Olambiwonnu et al), 459
Graft, maternal-fetal, vs host reaction (Ammann and Wara) (Letter), 329; (Julius) (Reply), 330
Granulomatous disease, chronic, death from *Torulopsis* in (Orson and Greco) (Letter), 333
Relationship to antigens of Kell blood group system on neutrophils and monocytes (Marsh et al), 1117
sex-linked chronic, spectrum of function of neutrophils from carriers of (Repine et al), 901
Granulopoiesis in osteopetrosis (Ragab et al) (BCLO), 422
Grebe-Quelce-Salgado type (nonlethal) achondrogenesis in two Puerto Rican sibships (García-Castro and Pérez-Comas) (BCLO), 948
Growth and development of survivors of RDS (Fomufod) (Letter), 666; (Oleinick) (Letter), 666; (Fisch) (Reply), 667
asynchronous, of scalp hair in XO Turner syndrome (Smith and Hanson) (Letter), 659

Growth—Cont'd
hormone deficiency in anorexia nervosa (Huseman and Johanson) (BCLO), 946
excess and sexual precocity in polyostotic fibrous dysplasia (McCune-Albright syndrome): Evidence for abnormal hypothalamic function (Lightner et al), 922
release, evaluation of, in children using arginine and L-dopa in combination (Weldon et al), 540
secretions, defective, in primary microcephaly (Ehrlich) (Letter), 151; (Dacou-Voutetakis et al) (Reply), 152
intelligence, and school performance in children with cystic fibrosis with episode of malnutrition during infancy (Ellis and Hill) (BCLO), 565
leg, following umbilical artery catheter-associated thrombus formation (Boros et al), 973
normal head, in infant with nonidentifiable anterior fontanel (Lloyd and Finkelstein) (Letter), 490
retardation, hyperammonemia, and hyperdibasicaminoaciduria: Treatment with arginine, lysine, and citrulline (Awrich et al), 731
Gynecomastia with congenital virilizing adrenal hyperplasia (11β-hydroxylase deficiency) (Zachmann and Prader) (Letter), 839

H

Hair, scalp, asynchronous growth of, in XO Turner syndrome (Smith and Hanson) (Letter), 659
Head and neck, non-Hodgkin lymphoma of (Traggis et al), 933
box, CPAP, prevention of ulceration of neck by (Williams et al) (Letter), 1010
Heart block, complete, in viral myocarditis (Schieken and Myers) (Letter), 831
disease, cyanotic, with shortened platelet survival (Waldman et al) (BCLO), 77
failure, congestive, metabolic alkalosis in (Lock et al) (BCLO), 938
Height in studies of sexual maturation with sickle cell anemia (Olambiwonnu et al), 459
Hemangioma, giant, with consumption coagulopathy (Hagerman et al) (BCLO), 766
Hemolytic, group A beta, streptococcal sepsis in mother and infant twins (Nieburg and Williams), 453
non-, neonatal hyperbilirubinemia, comparison of effectiveness of phototherapy and exchange transfusion (Tan), 609
streptococcal disease, group B beta—does intramuscular penicillin prevent it in the newborn infant? (Steigman et al) (Letter) 496; (McCracken) (Reply), 496
group B beta, osteomyelitis/purulent arthritis in neonates (Siskind et al) (Letter), 659
Hemophagocytic reticulosis, familial, and Letterer-Siwe disease, hypofibrinogenemia in (Casteels-Van Daele and Vernylen) (Letter), 151
Hemophilia, summer camp for boys with (Seeler et al) (BCLO), 758
Hemophilus influenzae type b, epiglottitis, meningitis, and arthritis due to (Ginsburg) (Letter), 491
Etiologic agent in epiglottitis (Margolis et al) (Letter), 322
susceptibility of, to ampicillin (Overturf et al), 297
Hemorrhage, intracranial, useful test for (Montgomery) (Letter), 155
intraventricular, pathogenesis of decerebrate "seizures" in premature infant with (Sarnat) (Letter), 154
Hemosiderosis, pulmonary, and cor pulmonale secondary to nasopharyngeal obstruction, hyperreactivity to cow milk in children with (Boat et al), 23
Hepatic adenoma in Fanconi anemia treated with oxymetholone (Mulvihill et al), 122
Hepatis, peliosis (Nuernberger and Ramos) (BCLO), 424
Hepatitis B surface antigen in serum of infants after delivery from asymptomatic carrier mothers (Okada et al), 360
transmission, risk of, to family contacts of leukemia patients (Steinberg et al) (BCLO), 753
viral, articular and cutaneous prodromal manifestations of (Segool et al), 709
Recent developments and prospects for prevention (Krugman), 1067
Hepatomegaly, fever, and shock (Strauss and Bove), 819
Hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for right-sided Wilms tumor (McVeagh and Ekert), 627
Hermaphroditism, pseudo-, with testes and a 46, XX karyotype (Duck et al), 58
Hernia, hiatal: Follow-up study (Friedland et al), 71
Heterochromia and Horner syndrome associated with cervical and mediastinal neuroblastoma (Jaffe et al) (BCLO), 75
Hiatal hernia in infants and young children: A 2- to 3-year follow-up study (Friedland et al), 71
Histiocytosis X—an analysis of prognostic factors (Lahey), 184
comparison of three treatment regimens (Lahey), 179
Histologic abnormalities and liver dysfunction in neonatal hypopituitarism (Herman et al), 892
and functional studies during penicillamine therapy: Juvenile Wilson disease (Grand and Vawter), 1161
Hodes, Horace L., in tribute to (Steigman), 1055
the man (Taussig), 1057
Hodgkin, non-, lymphoma of head and neck in childhood (Traggis et al), 933
Homozygous beta thalassemia, hypertriglyceridemia in (Ameri et al) (Letter), 1002
Hormonal profile and energy metabolism in children with edematous protein-calorie malnutrition (Parra et al), 307
Hormone deficiency(ies), growth, in anorexia nervosa (Huseman and Johanson) (BCLO), 946
hypothalamic, four cases secondary to: Congenital hypopituitarism associated with neonatal hypoglycemia and microphallus (Lovinger et al), 1171
growth, excess, and sexual precocity in polyostotic fibrous dysplasia (McCune-Albright syndrome): Hypothalmic function (Lightner et al), 922
release in children using arginine and L-dopa in combination, evaluation of (Weldon et al), 540
secretions, defective, in primary microcephaly (Ehrlich) (Letter), 151; (Dacou-Voutetakis et al) (Reply), 152
Horner syndrome and heterochromia associated with cervical and mediastinal neuroblastoma (Jaffe et al) (BCLO), 75
Host, normal and compromised. Opportunistic infection (Feigin and Shearer), Part I, 507; Part II, 677; Part III, 852

Host–Cont'd
reaction vs maternal-fetal graft (Ammann and Wara) (Letter), 329; (Julius) (Reply), 330
Hyaline membrane disease: Commentary (Stahlman and Cotton), 601
early versus delayed initiation of continuous negative pressure in (Mockrin and Bancalari), 596
Hydantoin syndrome, fetal (Hanson and Smith), 285
Hydroxyprogesterone, 17α-, value of, in differentitaion from congenital adrenal hyperplasia: Plasma androgens in premature pubarche (August et al) (BCLO), 246
Hydoxylase, 11β-, deficiency, gynecomastia with (Zachmann and Prader) (Letter), 839
Hydroxyproline values, urinary, and serum alkaline phosphatase in children receiving phenobarbital with and without vitamin D (Liakakos et al), 291
Hymen, congenital imperforate, spontaneous opening of (Kahn et al) (BCLO), 768
Hyperactive, temperament, antisocial, and developmental variables II. Studies of adoptees from psychiatrically disturbed biologic parents (Cadoret et al), 301
Hyperaminoacidemia due to accumulation of gluconeogenic amino acid precursors in hypoglycemic SGA infants (Mestyán et al), 409
Hyperammonemia, hyperdibasicaminoaciduria, and growth retardation: Treatment with arginine, lysine, and citrulline (Awrich et al), 731
Hyperbilirubinemia, nonhemolytic neonatal, comparison of effectiveness of phototherapy and exchange transfusion (Tan), 609
wavelengths of light producing photodecomposition of bilirubin in (Raethel), 110
Hyperdibasicaminoaciduria, hyperammonemia, and growth retardation: Treatment with arginine, lysine, and citrulline (Awrich et al), 731
Hypergammaglobulinemia purpura in a child (Jacobs) (BCLO), 91
Hyperimmunoglobulinemia E, variant ichthyosis, and recurrent infections with defective neutrophil chemotaxis (Pincus et al), 908
Hyperlipidemia in pediatric renal allograft recipients (Pennisi et al) (BCLO), 249
Hyperplasia, benign giant lymph node, presenting as fever of unknown origin (Miller and Miller) (BCLO), 237
congenital adrenal, electrolyte metabolism of muscle in salt-losing form of (Nichols et al), 400
value of 17α-hydroxyprogesterone in differentiation from: Plasma androgens in premature pubarche (August et al) (BCLO), 246
virilizing adrenal, with gynecomastia (Zachmann and Prader) (Letter), 839
Hyperostosis, infantile cortical–familial occurrence in mother and daughter (Langewisch) (Letter), 323
Hypertension, severe arterial, sodium nitroprusside treatment of (Gordillo-Paniagua et al), 799
vena caval and portal hypertension in Gaucher disease: Value of preoperative venography (Fellows et al), 739
Hyperthyroidism, neonatal, following intrauterine hypothyroidism (Hayek and Brooks), 446
Hypertriglyceridemia in homozygous beta thalassemia (Ameri et al) (Letter), 1002
Hypocalcemia, prophylaxis against, in LBW infants requiring bicarbonate infusion (Nervez et al), 439
Hypocalcemia–Cont'd
symptomatic, serum levels during: Ionized calcium (Sorell and Rosen), 67
Hypocomplementemia in anorexia nervosa (Kim and Michael) (BCLO), 582
Hypofibrinogenemia in Letterer-Siwe disease and in familial hemophagocytic reticulosis (Casteels-Van Daele and Vermylen) (Letter), 151
Hypoglycemia, neonatal, and microphallus, congenital hypopituitarism associated with: Four cases secondary to hypothalamic hormone deficiencies (Lovinger et al), 1171
Hypoglycemic SGA infants, hyperaminoacidemia due to accumulation of gluconeogenic amino acid precursors in (Mestyán et al), 409
Hypolycorrhachia with viral meningitis (Avner et al) (Letter), 833
Hypopituitarism, congenital, associated with neonatal hypoglycemia and microphallus: Four cases secondary to hypothalamic hormone deficiencies (Lovinger et al), 1171
neonatal, liver dysfunction and histologic abnormalities in (Herman et al), 892
Hypoplasia, cartilage-hair, normal red cell adenosine deaminase activity in (Kaitila et al) (Letter), 153; (Ochs) (Reply), 154
femoral–unusual facies syndrome (Holmes) (Letter), 668; (Smith) (Reply), 669
Hypoplastic anemia, congenital, significance of lymphocytosis in (Miale and Bloom), 550
Hypothalamic function, abnormal, evidence for: Growth hormone excess and sexual precocity in polyostotic fibrous dysplasia (McCune-Albright syndrome) (Lightner et al), 922
hormone deficiencies, four cases secondary to: Congenital hypopituitarism associated with neonatal hypoglycemia and microphallus (Lovinger et al), 1171
pituitary function in fetal alcohol syndrome (Root et al) (BCLO), 585
Hypothyroidism, congenital, screening for (Santesteban) (Letter), 1010; (Fisher) (Reply), 1010
signs and symptoms in newborn period (Smith et al), 958
screening for (Klein and Foley) (Letter), 667
symptomatic, in children with collagen disease (Richards et al) (BCLO), 82
Hypoxia, experimental alveolar, in mice and idiopathic respiratory distress syndrome of newborn infants, angiotensin-I-converting enzyme activity in (Mattioli et al), 97

I

I-cell disease (mucolipidosis type II), prenatal diagnosis and fetal pathology of (Aula et al), 221
Ichthyosis, variant, hyperimmunoglobulinemia E, and recurrent infections with defective neutrophil chemotaxis (Pincus et al), 908
IgM fluorescent treponemal antibody absorption test, reappraisal of, in diagnosis of congenital syphilis (Rosen and Richardson), 38
Immune response, measure of newborn cellular: Nonimmune rosette formation (Davis and Galant), 449

Immune–Cont'd
system and malignancy: Another perspective (Bentley et al) (Editor's column), 503
Immunity, rubella, in adolescent girls (Freis) (Letter), 332
Immunodeficiency, familial variable: Autosomal dominant pattern of inheritance with variable expression of the defect(s) (Feldman et al), 534
Immunodeficient children, risk of live poliovirus in (Wyatt) (Letter), 152
Immunoglobulin in peripheral blood lymphocytes of normal and immunodeficient patients, quantitation of biosynthesis of (Polmar and Chase), 545
serum, influence of exchange transfusion on development of (Mantalenaki-Asfi et al), 396
Immunologic and virologic studies in the postpericardiotomy syndrome (Engle et al), 1103
Infection(s) and exanthems, *Mycoplasma pneumoniae* (Cherry et al), 369
in children, opportunistic. III. In normal host (Feigin and Shearer), 852
neonate, concentrations of serum iron in (Levine and Lemons) (Letter), 331; (Pearson) (Reply), 332
influenza A, myositis associated with (Barton and Chalhub) (Letter), 1003
opportunistic. In normal and compromised host (Feigin and Shearer), Part I, 507; Part II, 677; Part III, 852
parasitic (Katz), 165
recurrent, hyperimmunoglobulinemia E, and variant ichthyosis with defective neutrophil chemotaxis (Pincus et al), 908
Infectious mononucleosis associated with acute cerebellar ataxia (Bergen and Grossman), 832
Infectivity of *Salmonella typhi* after 56 years of carrier state (Cunningham et al) (Letter), 147
Influenza A/Hong Kong/68-ts-1 [E] (H_1N_2) vaccine in young seronegative children, safety and antigenicity of (Wright et al), 1109
infection, myositis associated with (Barton and Chalhub) (Letter), 1003
Infusion technique, continuous, and dilute elemental diet for management of short bowel syndrome (Christie and Ament), 705
Ingestion of charcoal lighter fluid (Bratton and Haddow), 633; commentary (Arena), 637
Inhalation, smoke, in fire victims, respiratory complications of (Mellins and Park), 1
Inheritance, autosomal dominant pattern of, with variable expression of defect(s): Familial variable immunodeficiency (Feldman et al), 534
Insulin antagonism of cortisol action on lecithin synthesis by cultured fetal lung cells (Smith et al), 953
continuous infusion of low doses of: Acidosis and diabetic ketosis (Kaufman et al) (Editor's column), 846
Intelligence, growth, and school performance in children with cystic fibrosis who have had an episode of malnutrition during infancy (Ellis and Hill) (BCLO), 565
Interstitial emphysema, unilateral pulmonary, under tension, conservative management of (Leonidas et al), 776
Intestinal morphology and disaccharidase activities, changes in, during treatment with total intravenous nutrition or oral elemental diets: Protracted diarrhea and malnutrition in infancy (Greene et al), 695
Intracranial hemorrhage, useful test for (Montgomery) (Letter), 155
Intravenous administration of calcium, method for (Tyrala) (Letter), 497
diazoxide in acute poststreptococcal glomerulonephritis (Kohaut et al), 795
nutrition, total, or oral elemental diets, changes in intestinal morphology and disaccharidase activities during treatment with: Protracted diarrhea and malnutrition in infancy (Greene et al), 695
Intubation, nasotracheal, nasal erosion with (Pettett and Merenstein) (Letter), 149
Invertebrates, marine, and study of human disease, comparative pathology of (Bang), 1062
Ionized calcium: Serum levels during symptomatic hypocalcemia (Sorell and Rosen), 67
Iris pattern in patients with Williams syndrome (Preus) (Letter), 840
Iron, concentrations of serum, in infection in neonate (Levine and Lemons) (Letter), 331; (Pearson) (Reply), 332
Isoniazid era, tuberculous meningitis during (Sumaya et al), 43

J

Jejunal, intra-, perfusion with hypertonic nutrient solution, response of young pig to (Katz and Hamilton), 606
naso-, feedings in LBW infants (Wells and Zachman), 276

K

Karyotype, 46, XX, and testes, pseudohermaphroditism with (Duck et al), 58
Kell blood group system, antigens of, on neutrophils and monocytes: Their relation to chronic granulomatous disease (Marsh et al), 1117
Ketoacidosis, diabetic–bicarbonate controversy (Kaye) (Editor's column), 156
Ketosis, diabetic, and acidosis: Continuous infusion of low doses of insulin (Kaufman et al) (Editor's column), 846
Kidney disease, adult-type polycystic, infantile presentation of (Ross and Travers) (BCLO), 760

L

Lactogen physiology, placental, development of sheep as animal model to study (Handwerger et al), 1139
Laurence-Moon-Biedl syndrome, renal lesion of (Hurley et al), 206
Lazy-leukocyte syndrome (Constantopoulos et al) (BCLO), 945
LBW infants fed an elemental formula, necrotizing enterocolitis in (Book et al), 602
Lead absorption, increased, and lead poisoning in young children (Center for Disease Control), 824
exposure, early asymptomatic, and development at school age (de la Burdé and Choate), 638
in children, dose-effect and dose-response relationships for (Chisolm et al), 1152
Learning abilities, effects of starvation on (Klein et al), 8
Lecithin synthesis, insulin antagonism of cortisol action on, by cultured fetal lung cells (Smith et al), 953

Leg growth following umbilical artery catheter–associated thrombus formation: 4-year follow-up (Boros et al), 973
Lethal, non-, achondrogenesis (Grebe-Quelce-Salgado type) in two Puerto Rican sibships (García-Castro and Pérez-Comas) (BCLO), 948
Letterer-Siwe disease and familial hemophagocytic reticulosis, hypofibrinogenemia in (Casteels-Van Daele and Vermylen) (Letter), 151
Leukemia, acute, following anticancer treatment (Gutjahr and Spranger) (Letter), 1004
lymphoblastic, and genitourinary anomalies, congenital absence of pectoralis major muscle with (Miller and Miller) (Letter), 146
lymphocytic, with cytomegaloviremia (Cox and Hughes), 190
childhood, prognostic factors in (Miller) (Editor's column), 672
in children with Wilms tumor (Schwartz et al), 374
survivors of Wilms tumor (Miller) (Editor's column), 505
patients, risk of hepatitis transmission to family contacts of (Steinberg et al) (BCLO), 753
Leukocyte(s) function in aspartylglucosaminuria (Fleisher et al) (Letter), 833
lazy-, syndrome (Constantopoulos et al) (BCLO), 945
peripheral blood, detection of carrier state in: Fucosidosis (Beratis et al), 1193
Limbs, terminal transverse defects of, with syndrome of aplasia cutis congenita (Scribanu and Temtamy) (BCLO), 79
Lip, cleft (palate), more on twinning and (Hunter) (Letter), 842; (Armendares and Lisker) (Reply), 842
Liver disease, acute, and encephalopathy mimicking Reye syndrome (Gall et al), 869
dysfunction and histologic abnormalities in neonatal hypopituitarism (Herman et al), 892
Ludwig angina in children (Barkin et al) (BCLO), 563
Lung cells, cultured fetal, insulin antagonism of cortisol action on lecithin synthesis by (Smith et al), 953
Lupus erythematosus, systemic, choroid plexus in CNS involvement of (Gershwin et al) (BCLO), 588
Lymph node hyperplasia, benign giant, presenting as fever of unknown origin (Miller and Miller) (BCLO), 237
Lymphangiomatosis with chylothorax (Berberich et al) (BCLO), 941
Lymphoblastic leukemia, acute, and genitourinary anomalies, congenital absence of pectoralis major muscle with (Miller and Miller) (Letter), 146
Lymphocyte(s), peripheral blood, of normal and immunodeficient patients, quantitation of biosynthesis of immunoglobulin in (Polmar and Chase), 545
T, differentiation in vitro in ataxia telangiectasia associated with lymphosarcoma (Boumsell et al) (BCLO), 435
Lymphocytic leukemia, acute, with cytomegaloviremia (Cox and Hughes), 190
Lymphocytosis in congenital hypoplastic anemia, significance of (Miale and Bloom), 550
Lymphoma and cytomegalovirus in a pediatric transplant recipient (Matas et al) (Letter), 494
non-Hodgkin, of head and neck (Traggis et al), 933
Lymphosarcoma associated with ataxia telangiectasia, T lymphocyte differentiation in vitro in (Boumsell et al) (BCLO), 435
Lysine, arginine, and citrulline, treatment with: Hyperdibasicaminoaciduria, hyperammonemia, and growth retardation (Awrich et al), 731

M

Macrocephaly and slow tremor: Expanded version of bobblehead doll syndrome (Russman et al), 63
in association with unusual cutaneous angiomatosis (Stephan et al), 353
Malignancy and immune system: Another perspective (Bentley et al) (Editor's column), 503
Malnutrition and protracted diarrhea in infancy: Changes in intestinal morphology and disaccharidase activities during treatment with total intravenous nutrition or oral elemental diets (Greene et al), 695
edematous protein-calorie, energy metabolism and hormonal profile in children with (Parra et al), 307
episode of, during infancy–growth, intelligence, and school performance in children with cystic fibrosis (Ellis and Hill) (BCLO), 565
Marine invertebrates and study of human disease, comparative pathology of (Bang), 1062
Marrow, bone, curettage in childhood myelofibrosis (Balfanz et al) (BCLO), 578
Masses and renal failure in infants, nephrosonography in evaluation of (Boineau et al), 195
Maturation, delayed skeletal, in sickle cell trait (McCormack et al) (Letter), 489
sexual with sickle cell anemia: Studies of serum gonadotropin concentration, height, weight, and skeletal age (Olambiwonnu et al), 459
McCune-Albright syndrome (polyostotic fibrous dysplasia), growth hormone excess and sexual precocity in: Hypothalmic function (Lightner et al), 922
Measles, mumps, rubella vaccine (trivalent), evaluation of (Bloom et al) (BCLO), 85
Meckel diverticulum, "false positive" scan for (Rodgers and Youssef) (BCLO), 239
Mediastinal and cervical neuroblastoma associated with heterochromia and Horner syndrome (Jaffe et al) (BCLO), 75
Melioidosis in childhood (Pattamasukon et al), 133
Membrane disease, hyaline: Commentary (Stahlman and Cotton), 601
early versus delayed initiation of continuous negative pressure in (Mockrin and Bancalari), 596
Meningitis, epiglottitis, and arthritis due to *Hemophilus influenzae* type b (Ginsburg) (Letter), 491
neonatal, significance of tâche cérébrale in (Martin) (Letter), 321
Pasteurella multocida, treatment of (Fischer and Bass) (Letter), 499; (Repice and Neter) (Reply), 499
recurrent aseptic, without sequelae (Coleman et al) (BCLO), 89
tuberculous, during the isoniazid era (Sumaya et al), 43
evaluation of rifampicin in treatment of (Visudhiphan and Chiemchanya), 983
rifampin in (Sifontes) (Editor's column), 1015
treatment of (Kernbaum) (Letter), 837; (McCracken) (Reply), 838

Meningitis, viral, with hypolycorrhachia (Avner et al) (Letter), 833
Meningoencephalitis, neonatal, follow-up study of 15 cases of, due to Coxsackie virus B5 (Farmer et al) (BCLO), 568
Metabolic alkalosis with congestive heart failure (Lock et al) (BCLO), 938
Metabolism, electrolyte, of muscle in salt-losing form of congenital adrenal hyperplasia (Nichols et al), 400
energy, and hormonal profile in children with edematous protein-calorie malnutrition (Parra et al), 307
Microcephaly, primary, defective growth hormone secretions in (Ehrlich) (Letter), 151; (Dacou-Voutetakis et al) (Reply), 152
Microphallus and neonatal hypoglycemia, congenital hypopituitarism associated with: Four cases secondary to hypothalamic hormone deficiencies (Lovinger et al), 1171
Milk, breast, and unsaturated fatty acids (Silverio) (Letter), 329; (W.E.N.) (Reply), 329
cow, hyperreactivity to, in children with pulmonary hemosiderosis and cor pulmonale secondary to nasopharyngeal obstruction (Boat et al), 23
unpasteurized goat, toxoplasmosis in infant fed (Riemann et al) (BCLO), 573
Mitral valve disease and aorta, associated coarctation of (Wood et al), 217
Monocytes and neutrophils, antigens of Kell blood group system on: Their relation to chronic granulomatous disease (Marsh et al), 1117
Mononucleosis, infectious, associated with acute cerebellar ataxia (Bergen and Grossman), 832
Moon-Laurence-Biedl syndrome, renal lesion of (Hurley et al), 206
Morphologic defects, classification, nomenclature, and naming of (Smith) (Editor's column), 162
Mortality, infant, status of, in Sweden and the U. S. (Wallace and Goldstein), 995
rate, recent trends in, from renal disease in children and young adults in New York City (McCrory et al), 928
Mucolipiodosis type II (I-cell disease), prenatal diagnosis and fetal pathology (Aula et al), 221
Mumps, measles, rubella vaccine (trivalent), evaluation of (Bloom et al) (BCLO), 85
Muscular interventricular septum, partial spontaneous closure of congenital defect by aneurysm formation (Perry et al) (Letter), 660
intra-, administration of single doses in infants, absorption of phenobarbital after (Brachet-Liermain et al), 624
Muscle, electrolyte metabolism of, in salt-losing form of congenital adrenal hyperplasia (Nichols et al), 400
pectoralis major, congenital absence of, with acute lymphoblastic leukemia and genitourinary anomalies (Miller and Miller) (Letter), 146
smooth, antibody in children with *Pneumocystis carinii* pneumonia (Michalak and Slusarczyk) (Letter), 1005
Myasthenia gravis, familial infantile: Cause of sudden death (Conomy et al) (BCLO), 428
Mycoplasma pneumoniae infections and exanthems (Cherry et al), 369
Myelofibrosis, childhood, bone marrow curettage in (Balfanz et al) (BCLO), 578
Myelofibrosis—Cont'd
with chronic renal insufficiency (Schlackman et al), 720
Myocarditis, viral, complete heart block in (Schieken and Myers) (Letter), 831
Myositis associated with influenza A infection (Barton and Chalhub) (Letter), 1003

N

Naloxone in treatment of diazepam poisoning (Bell), 803
Nasal erosion with nasotracheal intubation (Pettett and Merenstein) (Letter), 149
septum, triangular cartilage of, dislocation of (Silverman and Leibow), 456
Nasojejunal feedings in low-birth-weight infants (Wells and Zachman), 276
Nasopharyngeal obstruction, secondary to cor pulmonale and pulmonary hemosiderosis, hyperreactivity to cow milk in children with (Boat et al), 23
Neck and head, non-Hodgkin lymphoma of (Traggis et al), 933
prevention of ulceration of, by CPAP head box (Williams et al) (Letter), 1010
Necrotizing enterocolitis in LBW infants fed elemental formula (Book et al), 602
Nephrectomy and radiation therapy for right-sided Wilms tumor, hepatotoxicity of chemotherapy following (McVeagh and Ekert), 627
Nephrosonography in evaluation of renal failure and masses in infants (Boineau et al), 195
Nephrotic syndrome—late nonresponsiveness to steroids (Trainin et al), 519
minimal-lesion, with early resistance to steroid therapy (Siegel et al), 377
Nesidioblastosis in familial endocrine adenomatosis (Szalay) (Letter), 498
Neuroblastoma, cervical and mediastinal, associated with heterochromia and Horner syndrome (Jaffe et al) (BCLO), 75
familial (Pegelow et al) (BCLO), 763
Neutropenia, autoimmune (Nepo et al) (BCLO), 251
chronic: Response to plasma with high colony-stimulating activity (Pachman et al), 713
Neutrophil(s) and monocytes, antigens of Kell blood group system on: Their relation to chronic granulomatous disease (Marsh et al), 1117
chemotaxis, defective, in patients with Down syndrome (Khan et al) (BCLO), 87
with variant ichthyosis, hyperimmunoglobulinemia E, and recurrent infections (Pincus et al), 908
spectrum of function of, from carriers of sex-linked chronic granulomatous disease (Repine et al), 901
New books received, 142, 645
Nitroprusside, sodium, treatment of severe arterial hypertension with (Gordillo-Paniagua et al), 799
Nosocomial transmission of group B streptococci in newborn nursery (Steere et al), 784
Nurse, paean to (Abello) (Letter), 498
practitioners, pediatric, short-term intensive training program for (Davidson et al), 315

Nutrient solution, hypertonic, response of young pig to intrajejunal perfusion with (Katz and Hamilton), 606
Nutrition, intravenous, or oral elemental diets, intestinal morphology and disaccharidase activities during treatment with: Diarrhea and malnutrition (Greene et al), 695
mal-, edematous protein-calorie, energy metabolism and hormonal profile in children with (Parra et al), 307

O

Ocular teratogens: A commentary (Apt and Gaffney) (Editor's column), 844
Opsonizing activity, pneumococcal serum, in splenectomized children (Winkelstein and Lambert) (BCLO), 430
Osteomyelitis, acute sacroiliac, radioactive scanning in diagnosis of (Trauner and Connor) (BCLO), 751
group B beta hemolytic streptococcal/purulent arthritis in neonates (Siskind et al) (Letter), 659
Osteopetrosis, granulopoiesis in (Ragab et al) (BCLO), 422
Oxymetholone, hepatic adenoma in Fanconi anemia treated with (Mulvihill et al), 122

P

Palatal defect, u-shaped, in Robin anomalad: Developmental and clinical relevance (Hanson and Smith), 30
Palate (lip), cleft, more on twinning and (Hunter) (Letter), 842; (Armendares and Lisker) (Reply), 842
Pancreas, cystic fibrosis of, colonization by Enterobacteriaceae of respiratory tract of children with (Seidmon et al), 528
Pancreatic insufficiency and congenital rubella syndrome (Donowitz and Gryboski) (BCLO), 241
Parasitic infections (Katz), 165
Pasteurella multocida meningitis, treatment of (Fischer and Bass) (Letter), 499; (Repice and Neter) (Reply), 499
Patent ductus arteriosus ligation, pseudotumor cerebri following (Di Liberti and O'Brien) (Letter), 489
Pathology, comparative, of marine invertebrates and study of human disease (Bang), 1062
Pectoralis major muscle, congenital absence of, with acute lymphoblastic leukemia and genitourinary anomalies (Miller and Miller) (Letter), 146
Peliosis hepatis in an infant (Nuernberger and Ramos) (BCLO), 424
Penicillamine therapy, histologic and functional studies during: Juvenile Wilson disease (Grand and Vawter), 1161
Penicillin, intramuscular—does it prevent group B beta hemolytic streptococcal disease of the newborn infant? (Steigman et al) (Letter), 496; (McCracken) (Reply), 496
Penile size in newborn infant (Flatau et al) (Letter), 633
Pentazocine abuse, maternal, withdrawal symptoms in neonate associated with (Reeds) (Letter), 324
Peritonitis, *Candida*, treatment of, by peritoneal lavage with amphotericin B (Bortolussi et al), 987
Phagocytosis, defective, due to deficiencies involving the tetrapeptide tuftsin (Najjar), 1121
Pharmacologic management of ambulatory children, inadequacies in (Mattar et al), 137
Phenobarbital, absorption of, after intramuscular administration of single doses in infants (Bráchet-Liermain et al), 624
with and without vitamin D, serum alkaline phosphatase and urinary hydroxyproline values in children receiving (Liakakos et al), 291
Phosphatase, serum alkaline, and urinary hydroxyproline values in children receiving phenobarbital with and without vitamin D (Liakakos et al), 291
Phototherapy and exchange transfusion in management of nonhemolytic neonatal hyperbilirubinemia, comparison of effectiveness of (Tan), 609
lack of effect of, on serum bilirubin–binding capacity in newborn infants (Cashore et al), 977
Physiologic, electro-, study: Etiology of electrocardiographic pattern of "incomplete right bundle branch block" in atrial septal defect (Sung et al), 1182
Physiology, placental lactogen, development of sheep as animal model to study (Handwerger et al), 1139
Physostigmine as an antidote: Use with caution (Mofenson and Greensher) (Letter), 1011; (Di Liberti and O'Brien) (Reply), 1011
Pituitary-hypothalamic function in fetal alcohol syndrome (Root et al) (BCLO), 585
thyroid axis, evaluation of: Subacute thyroiditis in thyroid gland (Radfar et al), 34
Placental lactogen physiology, development of sheep as animal model to study (Handwerger et al), 1139
trans-, passage of maternal erythrocytes with sickling (Fujikura and Klionsky), 781
Planning—who should care for the sick newborn infant? (Preston) (Letter), 836; (Nelson) (Reply), 836
Plasma ACTH values during first 7 days of life in infants of diabetic mothers (Cacciari et al) (BCLO), 943
albumin, competitive binding of, by drugs and their vehicles and by bilirubin (Stern et al) (Letter), 1006; (Wennberg and Rasmussen) (Reply), 1007
androgens in premature pubarche: Value of 17α-hydroxyprogesterone in differentiation from congenital adrenal hyperplasia (August et al) (BCLO), 246
response to, with high colony-stimulating activity: Chronic neutropenia (Pachman et al), 713
Platelet survival, shortened, in cyanotic heart disease (Waldman et al) (BCLO), 77
Pleural effusion: To tap or not to tap! (Barton) (Letter), 330; (Fermaglich) (Reply), 330
Pneumococcal bacteremia in neonate (Faden) (Letter), 497; (Rhodes) (Reply), 498
serum opsonizing activity in splenectomized children (Winkelstein and Lambert) (BCLO), 430
Pneumocystis carinii pneumonia, smooth muscle antibody in children with (Michalak and Slusarczyk) (Letter), 1005
pneumonia in Vietnamese infants (Gleason et al) (Letter), 1001
Pneumonia, *Pneumocystis carinii*, smooth muscle antibody in children with (Michalak and Slusarczyk) (Letter), 1005
in Vietnamese infants (Gleason et al) (Letter), 1001
Pneumonitis following inclusion blennorrhea (Schachter et al), 779

Pneumothorax as function of gestational age: Clinical and experimental studies (Adler and Wyszogrodski) (BCLO), 771
Poisoning, diazepam, naloxone in treatment of (Bell), 803
fenfluramine (Veltri and Temple), 119
lead, and increased lead absorption (Center for Disease Control), 824
recurrent pine oil–investigation by means of gas chromatographic-mass spectrometric methods (Hill et al), 115
Poliovirus, risk of live, in immunodeficient children (Wyatt) (Letter), 152
Polyostotic fibrous dysplasia (Albright syndrome), Cushing syndrome, and sexual precocity (Danon et al), 917
(McCune-Albright syndrome), growth hormone excess and sexual precocity in: Hypothalmic function (Lightner et al), 922
Portal and vena caval hypertension in Gaucher disease: Value of preoperative venography (Fellows et al), 739
Postpericardiotomy syndrome, immunologic and virologic studies in (Engle et al), 1103
Pressure, blood (Krovetz) (Editor's column), 1013
and blood volume in infants with respiratory distress (Brown et al), 1133
puberty (Londe et al), 896
continuous negative, in infants with hyaline membrane disease, early versus delayed initiation of (Mockrin and Bancalari), 596
management of idiopathic respiratory distress syndrome, early versus late introduction of (Gerard et al), 591
intracranial, in patients with Reye syndrome, effects of exchange transfusion on (Berman et al), 887
Preventive pediatric care and office efficiency, improving, by way of tape-recorded messages (Crowder) (Letter), 662; (Comment) (Nelson), 663
Protein-calorie malnutrition, edematous, energy metabolism and hormonal profile in children with (Parra et al), 307
Pseudohermaphroditism with testes and a 46, XX karyotype (Duck et al), 58
Pseudotumor cerebri following patent ductus arteriosus ligation (Di Liberti and O'Brien) (Letter), 489
Psychiatric disorder in miliary dependent children (Schnitzler et al) (Letter), 500; (Cantwell) (Reply), 501
Pubarche, premature, plasma androgens in: Value of 17α-hydroxyprogesterone in differentiation from congenital adrenal hyperplasia (August et al) (BCLO), 246
Puberty and blood pressure (Londe et al), 896
Pulmonary hemosiderosis and cor pulmonale secondary to nasopharyngeal obstruction, hyperreactivity to cow milk in children with (Boat et al), 23
interstitial emphysema, unilateral, under tension, conservative management of (Leonidas et al), 776
vein and aberrant systemic artery, congenital fistula between (Currarino et al), 554
venous return, total anomalous, in unilateral emphysema (Sulayman et al) (BCLO), 433
Purpura, hypergammaglobulinemia (Jacobs) (BCLO), 91
idiopathic thrombocytopenic (Simons et al), 16
to treat or not to treat? (McElfresh) (Editor's column), 160
Pyloric stenosis, effects of, on subsequent learning abilities (Klein et al), 8

Q

Quelce-Grebe-Salgado type (nonlethal) achondrogenesis in two Puerto Rican sibships (Garcia-Castro and Pérez-Comas) (BCLO), 948

R

Radiation therapy and nephrectomy for right-sided Wilms tumor, hepatotoxicity of chemotherapy following (McVeagh and Ekert), 627
Radioactive scanning in diagnosis of acute sacroiliac osteomyelitis (Trauner and Connor) (BCLO), 751
Radiographic technic, safety, and interpretation in newborn nursery (Holbert et al), 968
Regional planning for pediatric services (Sweeney) (Letter), 501
Renal allograft recipients, pediatric, hyperlipidemia in (Pennisi et al) (BCLO), 249
disease, recent trends in mortality rate in New York City (McCrory et al), 928
failure, acute: Important complication of cardiac surgery in infants (Chesney et al), 381
and masses in infants, nephrosonography in evaluation of (Boineau et al), 195
insufficiency, chronic, myelofibrosis in (Schlackman et al), 720
lesion of Laurence-Moon-Biedl syndrome (Hurley et al), 206
response of lamb fetus to partial occlusion of umbilical cord (Daniel et al), 788
tubular acidosis and skeletal demineralization in patients on long-term anticonvulsant therapy (Matsuda et al), 202
Rennes-like variant of galactosemia: Clinical and biochemical studies (Hammersen et al), 50
Resistance in man, nonspecific enhancers of (Florman and Holzman), 1094
Respiratory complications of smoke inhalation in victims of fires (Mellins and Park), 1
distress, blood volume and blood pressure in infants with (Brown et al), 1133
syndrome, effect of alkaline infusion: Commentary (Behrman), 262
glucocorticoid prophylaxis for: Review of potential toxicity (Taeusch), 617
growth and development of survivors of (Fomufod) (Letter), 666; (Oleinick) (Letter), 666; (Fisch) (Reply), 667
idiopathic, early use of CPAP in treatment of (Krouskop et al), 263
versus late introduction of continuous negative pressure in management of (Gerard et al), 591
of newborn infants, angiotensin-I-converting enzyme activity in, and in experimental alveolar hypoxia in mice (Mattioli et al), 97
immediate effects of alkaline infusion on (Baum and Robertson), 255
tract of children with cystic fibrosis of pancreas and their antibody response, colonization by Enterobacteriaceae of (Seidmon et al), 528
upper, occurrence of *Diplococcus pneumoniae* in (Loda et al), 1087

Retardation, growth, hyperdibasicaminoaciduria, and hyperammonemia: Treatment with arginine, lysine, and citrulline (Awrich et al), 731
intrauterine developmental: Commentary (Avery and Frantz), 956
Reticulosis, familial hemophagocytic, and Letterer-Siwe disease, hypofibrinogenemia in (Casteels-Van Daele and Vernylen) (Letter), 151
Reye syndrome, diagnosis of: Commentary (Schubert), 867
effects of exchange transfusion on intracranial pressure in patients with (Berman et al), 887
encephalopathy and acute liver disease mimicking (Gall et al), 869
epidemiologic investigation of (Stechenberg et al) (BCLO), 234
Results of intensive supportive care (DeVivo et al), 875
Treatment by exchange transfusion with special reference to 1974 epidemic in Cincinnati, Ohio (Bobo et al), 881
of: Commentary (Nelson), 868
Riboflavin deficiency in a pediatric population of low socioeconomic status in New York City (Lopez et al) (BCLO), 420
Rickets then and now (Harrison and Harrison), 1144
Rifampicin, evaluation of, in treatment of tuberculous meningitis (Visudhiphan and Chiemchanya), 983
Rifampin in tuberculous meningitis (Sifontes) (Editor's column), 1015
Robin anomalad, u-shaped palatal defect in: Developmental and clinical relevance (Hanson and Smith), 30
Rocky Mountain spotted fever, late appearance of skin rash and abnormal serum enzymes in (Sexton et al) (BCLO), 580
Rosette formation, nonimmune: Measure of newborn cellular immune response (Davis and Galant), 449
Rubella, congenital (Dudgeon), 1078
thyrotoxicosis in (Ziring et al) (Letter), 1002
immunity in adolescent girls (Freis) (Letter), 332
measles, mumps vaccine (trivalent), evaluation of (Bloom et al) (BCLO), 85
syndrome, congenital, and pancreatic insufficiency (Donowitz and Gryboski) (BCLO), 241

S

Sacroiliac osteomyelitis, acute, radioactive scanning in diagnosis of (Trauner and Connor) (BCLO), 751
Salgado-Grebe-Quelce type (nonlethal) achondrogenesis in two Puerto Rican sibships (García-Castro and Pérez-Comas) (BCLO), 948
Salmonella typhi, infectivity of, after 56 years of carrier state (Cunningham et al) (Letter), 147
Salt-losing form of congenital adrenal hyperplasia, electrolyte metabolism of muscle in (Nichols et al), 400
Scalp hair, asynchronous growth of, in XO Turner syndrome (Smith and Hanson) (Letter), 659
Screening, developmental, implications for: Development of preschool-aged children of different social and ethnic groups (Frankenburg et al), 125
genetic, prospects for (Childs), 1125
for congenital hypothyroidism (Santesteban) (Letter), 1010; (Fisher) (Reply), 1010
Screening for—Cont'd
hypothyroidism (Klein and Foley) (Letter), 667
program for Tay-Sachs disease, demographic data as graphic aid in (Gardner and Meltzer) (Letter), 664
"Seizure(s)," decerebrate, in premature infant with intraventricular hemorrhage, pathogenesis of (Sarnat) (Letter), 154
first febrile: Study of current pediatric practice (Asnes et al), 485
Sepsis, group A beta hemolytic streptococcal, in mother and infant twins (Nieburg and Williams), 453
Septum, triangular cartilage of nasal, dislocation of (Silverman and Leibow), 456
Seronegative children, young, safety and antigenicity of influenza A/Hong Kong/68-ts-1 [E] (H_3N_2) vaccine in (Wright et al), 1109
Serum albumin, determination of bilirubin-binding capacity of (Krasner and Chignell) (Letter), 1008; (Gartner and Lee) (Reply), 1009
alkaline phosphatase and urinary hydroxyproline values in children receiving phenobarbital with and without vitamin D (Liakakos et al), 291
arylsulfatase A assay (Beratis and Hirschhorn) (Letter), 669; (Singh et al) (Reply), 669
bilirubin-binding capacity in newborn, lack of effect of phototherapy on (Cashore et al), 977
complement profiles in infants and children (Norman et al), 912
enzymes, abnormal, and late appearance of skin rash in Rocky Mountain spotted fever (Sexton et al) (BCLO), 580
gonadotropin concentration in studies of sexual maturation with sickle cell anemia (Olambiwonnu et al), 459
immunoglobulins, influence of exchange transfusion on development of (Mantalenaki-Asfi et al), 396
iron, concentrations of, in infection in neonate (Levine and Lemons) (Letter), 331; (Pearson) (Reply), 332
levels during symptomatic hypocalcemia: Ionized calcium (Sorell and Rosen), 67
of infants, hepatitis B surface antigen in, after delivery from asymptomatic carrier mothers (Okada et al), 360
opsonizing activity, pneumococcal, in splenectomized children (Winkelstein and Lambert) (BCLO), 430
wavelengths of light producing photodecomposition of bilirubin in, from a neonate with hyperbilirubinemia (Raethel), 110
Sex and age differences: Eosinophil counts (Cunningham) (BCLO), 426
difference in juvenile diabetes, is there? (Rosenbloom and Giordano) (Letter), 150; (Monteleone et al) (Reply), 150
linked chronic granulomatous disease, carriers of, spectrum of function of neutrophils from (Repine et al), 901
Sexual maturation with sickle cell anemia: Studies of serum gonadotropin concentration, height, weight, and skeletal age (Olambiwonnu et al), 459
precocity and growth hormone excess in polyostotic fibrous dysplasia (McCune-Albright syndrome): Hypothalmic function (Lightner et al), 922
Cushing syndrome, and polyostotic fibrous dysplasia (Albright syndrome) (Danon et al), 917
Sheep as an animal model to study placental lactogen physiology, development of (Handwerger et al), 1139

Shock, fever, and hepatomegaly (Strauss and Bove), 819
Siwe-Letterer disease and familial hemophagocytic reticulosis, hypofibrinogenemia in (Casteels-Van Daele and Vernylen) (Letter), 151
Sickle cell anemia, sexual maturation in (Olambiwonnu et al), 459
trait, delayed skeletal maturation in (McCormack et al) (Letter), 489
Sickling, transplacental passage of maternal erythrocytes with (Fujikura and Klionsky), 781
Skeletal age in studies of sexual maturation with sickle cell anemia (Olambiwonnu et al), 459
demineralization and renal tubular acidosis in anticonvulsant therapy (Matsuda et al), 202
maturation, delayed, in sickle cell trait (McCormack et al) (Letter), 489
Skin rash, late appearance of, and abnormal serum enzymes in Rocky Mountain spotted fever (Sexton et al) (BCLO), 580
Skull, normal values for transillumination of, using new light source (Cheldelin et al) (BCLO), 937
Sodium nitroprusside treatment of severe arterial hypertension in children (Gordillo-Paniagua et al), 799
Spina bifida, traumatizing effect of breech delivery on infants with (Rálfs), 613
Splenectomized children, pneumococcal serum opsonizing activity in (Winkelstein and Lambert) (BCLO), 430
Starvation in infancy (pyloric stenosis), effects of, on subsequent learning abilities (Klein et al), 8
Stenosis, congenital aortic, exercise-induced electrocardiographic changes with (Chandramouli et al), 725
pyloric, effects of, on subsequent learning abilities (Klein et al), 8
Steroid(s), late nonresponsiveness to, with nephrotic syndrome (Trainin et al), 519
therapy, minimal-lesion nephrotic syndrome with early resistance to (Siegel et al), 377
Strangulation of infant by pacifier cord (O'Connor) (Letter), 145
Streptococcal disease, group B beta hemolytic—does intramuscular penicillin prevent it in the newborn infant? (Steigman et al) (Letter), 496; (McCracken) (Reply), 496
neonatal group A (Peter and Hazard), 454
osteomyelitis, group B beta hemolytic/purulent arthritis in neonates (Siskind et al) (Letter), 659
post-, glomerulonephritis, intravenous diazoxide in (Kohaut et al), 795
sepsis, group A beta hemolytic, in mother and infant twins (Nieburg and Williams), 453
Streptococci, group B, in newborn nursery, possible nosocomial transmission of (Steere et al), 784
Surgery, cardiac, complication of: Renal failure (Chesney et al), 381
Syndrome, Albright: Is it coming of age? (DiGeorge) (Editor's column), 1018
(polyostotic fibrous dysplasia), Cushing syndrome, and sexual precocity (Danon et al), 917
bobble-head doll, expanded version of: Slow tremor and macrocephaly (Russman et al), 63
branchial arch, twinning in relation to anomalies of (Terhaar) (Letter), 843
Syndrome—Cont'd
congenital rubella, and pancreatic insufficiency (Donowitz and Gryboski) (BCLO), 241
Cushing, sexual precocity, and polyostotic fibrous dysplasia (Albright syndrome) (Danon et al), 917
Down, defective neutrophil chemotaxis in (Khan et al) (BCLO), 87
fetal alchohol, hypothalamic-pituitary function in (Root et al) (BCLO), 585
in dizygotic twins (Christoffel and Salafsky), 963
hydantoin (Hanson and Smith), 285
trimethadione (Zackai et al), 280
Horner, and heterochromia associated with cervical and mediastinal neuroblastoma (Jaffe et al) (BCLO), 75
idiopathic respiratory distress, early use of continuous positive airway pressure in treatment of (Krouskop et al), 263
early versus late introduction of continuous negative pressure in management of (Gerard et al), 591
of newborn infants, angiotensin-I-converting enzyme activity in, and in experimental alveolar hypoxia in mice (Mattioli et al), 97
Laurence-Moon-Biedl, renal lesion of (Hurley et al), 206
lazy-leukocyte (Constantopoulos et al), (BCLO), 945
McCune-Albright (polyostotic fibrous dysplasia), growth hormone excess and sexual precocity in: Evidence for abnormal hypothalamic function (Lightner et al), 922
minimal-lesion nephrotic, with early resistance to steroid therapy (Siegel et al), 377
nephrotic—late nonresponsiveness to steroids (Trainin et al), 519
of aplasia cutis congenita with terminal transverse defects of limbs (Scribanu and Temtamy) (BCLO), 79
postpericardiotomy, immunologic and virologic studies in (Engle et al), 1103
respiratory distress, effect of alkaline infusion in: Commentary (Behrman), 262
glucocorticoid prophylaxis for: Review of potential toxicity (Taeusch), 617
growth and development of survivors of (Fomufod) (Letter), 666; (Oleinick) (Letter), 666; (Fisch) (Reply), 667
immediate effects of alkaline infusion on (Baum and Robertson), 255
Reye, diagnosis of: Commentary (Schubert), 867
effects of exchange transfusion on intracranial pressure in patients with (Berman et al), 887
encephalopathy and acute liver disease mimicking (Gall et al), 869
epidemiologic investigation of (Stechenberg et al) (BCLO), 234
Results of intensive supportive care (DeVivo et al), 875
Treatment by exchange transfusion with special reference to 1974 epidemic in Cincinnati, Ohio (Bobo et al), 881
of: Commentary (Nelson), 868
short bowel, dilute elemental diet and continuous infusion technique for management of (Christie and Ament), 705
trisomy 15 (dup15q), partial, and need for precision in clinical cytogenetics (Hecht) (Letter), 842; (Bannister and Engel) (Reply), 843

Syndrome–Cont'd
unusual facies–femoral hypoplasia (Holmes) (Letter), 668; (Smith) (Reply), 669
Williams, iris pattern in (Preus) (Letter), 840
Campbell (congenital bronchiectasis due to deficiency of bronchial cartilage) (Mitchell and Bury) (BCLO), 230
XO Turner, asynchronous growth of scalp hair in (Smith and Hanson) (Letter), 659
Syphilis, congenital, diagnosis of–reappraisal of IgM fluorescent treponemal antibody absorption test in (Rosen and Richardson), 38
Systemic artery, aberrant, and pulmonary vein, congenital fistula between (Currarino et al), 554
lupus erythematosus, choroid plexus in CNS involvement of (Gershwin et al) (BCLO), 588

T

T lymphocyte differentiation in vitro in ataxia telangiectasia associated with lymphosarcoma (Boumsell et al) (BCLO), 435
Tâche cérébrale in neonatal meningitis, significance of (Martin) (Letter), 321
Taste correlates of disease states: Cystic fibrosis (Desor and Maller) (BCLO), 93
Tay-Sachs disease, demographic data as graphic aid in screening program for (Gardner and Meltzer) (Letter), 664
Teething–are today's pediatricians using yesterday's notions? (Honig) (BCLO), 415
Tension, conservative management of unilateral pulmonary interstitial emphysema under (Leonidas et al), 776
Teratogenicity of anticoagulants (Roizen) (Letter), 838; (Hanson and Smith) (Letter), 838; (Pettifor and Benson) (Reply), 838
Teratogens, ocular: A commentary (Apt and Gaffney) (Editor's column), 844
Test for intracranial hemorrhage (Montgomery) (Letter), 155
IgM fluorescent treponemal antibody absorption, reappraisal of, in diagnosis of congenital syphilis (Rosen and Richardson), 38
Testes and a 46, XX karyotype, pseudohermaphroditism with (Duck et al), 58
hidden, probable XX male with (Lazarus and Rodner) (Letter), 493
Tetrapeptide tuftsin, defective phagocytosis due to deficiencies involving (Najjar), 1121
Thalassemia, alpha, in American-born Filipino infants (Koenig and Vedvick) (BCLO), 756
homozygous beta, hypertriglyceridemia in (Ameri et al) (Letter), 1002
Thrombocytopenia, transient, in 18-trisomy (Markenson et al) (Letter), 834
Thrombocytopenic purpura, idiopathic (Simons et al), 16
to treat or not to treat? (McElfresh) (Editor's column), 160
Thrombocytosis and abdominal fibromatosis (Falletta et al) (Letter), 145
Thrombus formation, umbilical artery catheter–associated, leg growth following (Boros et al), 973
Thyroidism, hypo-, in children with collagen disease (Richards et al) (BCLO), 82
Thyroidism–Cont'd
neonatal hyper-, following intrauterine hypothyroidism (Hayek and Brooks), 446
Thyroiditis, subacute, in lateral thyroid gland: Evaluation of the pituitary-thyroid axis during the acute destructive and the recovery phases (Radfar et al), 34
Thyrotoxicosis in congenital rubella (Ziring et al) (Letter), 1002
Thyroxine in human amniotic fluid (Sack et al), 364
Ticarcillin, clinical pharmacology of: Relation to age, gestational age, and weight (Nelson et al), 474
Torulopsis, death from, in chronic granulomatous disease (Orson and Greco) (Letter), 333
Toxicity, review of potential: Glucocorticoid prophylaxis for respiratory distress syndrome (Taeusch), 617
Toxoplasmosis in infant fed unpasteurized goat milk (Riemann et al) (BCLO), 573
Tracheal, naso-, intubation, nasal erosion with (Pettett and Merenstein) (Letter), 149
Training program, short-term intensive, for pediatric nurse practitioners (Davidson et al), 315
Transfusion, exchange, and phototherapy in management of nonhemolytic neonatal hyperbilirubinemia, comparison of effectiveness of (Tan), 609
effects of, on intracranial pressure in patients with Reye syndrome (Berman et al), 887
influence of, on development of serum immunoglobulins (Mantalenaki-Asfi et al), 396
treatment by, with reference to 1974 epidemic in Cincinnati, Ohio: Reye syndrome (Bobo et al), 881
Transillumination of skull, normal values for, using new light source (Cheldelin et al) (BCLO), 937
Transplacental passage of maternal erythrocytes with sickling (Fujikura and Klionsky), 781
Transplant recipient, pediatric, cytomegalovirus and lymphoma in (Matas et al) (Letter), 494
Tremor, slow, and macrocephaly: Expanded version of bobblehead doll syndrome (Russman et al), 63
Treponemal antibody absorption test, IgM fluorescent, reappraisal of value of, in diagnosis of congenital syphilis (Rosen and Richardson), 38
Trimethadione syndrome, fetal (Zackai et al), 280
Trisomy(ies) 15 (dup15q) syndrome, partial, and need for precision in clinical cytogenetics (Hecht) (Letter), 842; (Bannister and Engel) (Reply), 843
18-, transient thrombocytopenia in (Markenson et al) (Letter), 834
21 and 18 in two sibs; another case (Soudek et al) (Letter), 326
Tuberculous meningitis during the isoniazid era (Sumaya et al), 43
evaluation of rifampicin in treatment of (Visudhiphan and Chiemchanya), 983
rifampin in (Sifontes) (Editor's column), 1015
treatment of (Kernbaum) (Letter), 837; (McCracken) (Reply), 838
Tubular acidosis, renal, and skeletal demineralization in long-term anticonvulsant therapy (Matsuda et al), 202
Tuftsin, tetrapeptide, defective phagocytosis due to deficiencies involving (Najjar), 1121
Tumor, right-sided Wilms, hepatoxicity of chemotherapy following nephrectomy and radiation therapy for (McVeagh and Ekert), 627

Tumor—Cont'd
Wilms, adriamycin cardiotoxicity in child with (Gerber et al), 629
leukemia in survivors of (Miller) (Editor's column), 505
with leukemia (Schwartz et al), 374
Turner syndrome, XO, asynchronous growth of scalp hair in (Smith and Hanson) (Letter), 659
Twinning and cleft lip (palate), more on (Hunter) (Letter), 842; (Armendares and Lisker) (Reply), 842
in relation to anomalies of branchial arch syndrome (Terhaar) (Letter), 843
Twins, dizygotic, fetal alcohol syndrome in (Christoffel and Salafsky), 963
Typhoid fever, glucose-6-phosphate dehydrogenase deficiency in Thai children with (Lampe et al) (BCLO), 576

U

Ulceration of neck by CPAP head box, prevention of (Williams et al) (Letter), 1010
Umbilical artery catheter–associated thrombus formation, leg growth following (Boros et al), 973
cord, renal response of lamb fetus to partial occlusion of (Daniel et al), 788
Urinary D-glucaric acid excretion in children with dystonic reactions caused by antiemetic drugs (Cassimos et al), 981
hydroxyproline values and serum alkaline phosphatase in children receiving phenobarbital with and without vitamin D (Liakakos et al), 291
Uterine, intra-, developmental retardation: Commentary (Avery and Frantz), 956
hypothyroidism, neonatal hyperthyroidism following (Hayek and Brooks), 446

V

Vaccine, influenza A/Hong Kong/68-ts-1 [E] (H_3N_2), in young seronegative children, safety and antigenicity of (Wright et al), 1109
measles, mumps, rubella (trivalent), evaluation of (Bloom et al) (BCLO), 85
Vasculitis, simultaneous, in mother and newborn infant (Miller and Fries), 443
Vein, pulmonary, and aberrant systemic artery, congenital fistula between (Currarino et al), 554
Vena caval and portal hypertension in Gaucher disease: Value of preoperative venography (Fellows et al), 739
Venography, preoperative, value of: Combined portal and vena caval hypertension in Gaucher disease (Fellows et al), 739
Venous return, total anomalous pulmonary, in unilateral emphysema (Sulayman et al) (BCLO), 433
Ventricular function, left, prognostic implications of, in endomyocardial disease in infants and children (Krovetz et al), 389
intra-, hemorrhage, pathogensis of decerebrate "seizures" in premature infant with (Sarnat) (Letter), 154
Vertebral, inter-, discs, calcification of (Sutton) (Letter), 1008; (Swick) (Reply), 1008
Vesicoureteral reflux (Lewy and Belman) (Letter), 1012; (Girdany and Price) (Reply), 1012
Viral hepatitis, articular manifestations and cutaneous prodromal manifestations of (Segool et al), 709
Recent developments and prospects for prevention (Krugman), 1067
meningitis with hypolycorrhachia (Avner et al) (Letter), 833
myocarditis, complete heart block in (Schieken and Myers) (Letter), 831
Virologic and immunologic studies in the postpericardiotomy syndrome (Engle et al), 1103
Virus B5, Coxsackie, follow-up study of neonatal meningoencephalitis due to (Farmer et al) (BCLO), 568
Vitamin D, with and without, serum alkaline phosphatase and urinary hydroxyproline values in children receiving phenobarbital (Liakakos et al), 291
Volume, blood, and blood pressure in infants with respiratory distress (Brown et al), 1133

W

Wavelengths of light producing photodecomposition of bilirubin in serum from a neonate with hyperbilirubinemia (Raethel), 110
Weight in studies of sexual maturation with sickle cell anemia (Olambiwonnu et al), 459
Williams syndrome, iris pattern in (Preus) (Letter), 840
Campbell syndrome (congenital bronchiectasis due to deficiency of bronchial cartilage) (Mitchell and Bury) (BCLO), 230
Wilms tumor, adriamycin cardiotoxicity in child with (Gerber et al), 629
leukemia in survivors of (Miller) (Editor's column), 505
right-sided, hepatotoxicity of chemotherapy following nephrectomy and radiation therapy for (McVeagh and Ekert), 627
with leukemia (Schwartz et al), 374
Wilson disease, juvenile: Histologic and functional studies during penicillamine therapy (Grand and Vawter), 1161
Worry, effects of parents' and pediatricians', concerning severe gastroenteritis in early childhood on later disturbances in behavior (Sigal and Gagnon), 809

X

XO Turner syndrome, asynchronous growth of scalp hair in (Smith and Hanson) (Letter), 659

Y

Yeast colonization in hospitalized and nonhospitalized children (Marks et al), 524